

2000 SUPPLEMENTAL WATER QUALITY REPORT

Bayview Walk

	Range of Readings			Number Of Tests
	Low Value	High Value	Avg. Value	
Radioactivity				
Gross Alpha activity pCi/l	NA	NA	NA	NA
Gross Beta activity pCi/l	NA	NA	NA	NA
Lead-210 pCi/l	NA	NA	NA	NA
Radon pCi/l	ND	ND	ND	3
Tritium activity pCi/l	NA	NA	NA	NA
Inorganics				
Alkalinity, total mg/l	17.2	25.8	22.8	4
Aluminum mg/l	0.23	0.63	0.47	4
Ammonia, free mg/l	ND	ND	ND	4
Arsenic ug/l	ND	ND	ND	4
Barium mg/l	ND	ND	ND	4
Boron mg/l	ND	0.12	0.11	4
Bromide mg/l	ND	ND	ND	3
CO ₂ , calculated mg/l	2.8	4.2	3.6	3
Calcium mg/l	0.0	0.2	0.1	4
Chloride mg/l	3.3	3.4	3.4	3
Cobalt-59 ug/l	ND	ND	ND	4
Color units	ND	34	20	4
Copper mg/l	ND	ND	ND	4
Dissolved Solids, total mg/l	41	46	44	3
Fluoride mg/l	ND	ND	ND	3
Hardness, total mg/l	ND	1.2	0.3	4
Iron ug/l	90	620	295	4
Lead ug/l	ND	ND	ND	4
Lithium ug/l	2.6	3.4	2.9	4
Magnesium mg/l	0.03	0.05	0.04	4
Manganese ug/l	ND	ND	ND	4
Nickel ug/l	ND	ND	ND	4
Nitrate mg/l	ND	ND	ND	3
Nitrite mg/l	ND	ND	ND	3
Perchlorate ug/l	ND	ND	ND	7
Phosphate, ortho mg/l	0.46	0.61	0.52	3
Phosphate, total mg/l	0.44	0.67	0.58	4
pH	6.9	7.2	7.1	4
Potassium mg/l	0.90	1.04	0.95	4
Silicon mg/l	4.1	5.3	4.8	4
Sodium mg/l	12.9	14.5	13.9	4
Specific Conductance umho/cm	55	66	62	5
Strontium-89 mg/l	ND	ND	ND	4
Sulfate mg/l	2.7	4.2	3.7	3
Surfactants mg/l	ND	ND	ND	4
Tin ug/l	ND	ND	ND	4
Titanium ug/l	ND	33.0	18.5	4
Turbidity NT UNITS	0.73	5.9	2.9	4
Zinc mg/l	ND	0.10	0.04	4

2000 SUPPLEMENTAL WATER QUALITY REPORT

Bayview Walk

	Range of Readings			Number Of Tests
	Low Value	High Value	Avg. Value	
Synthetic Organic Compounds				
Including				
Pesticides and Herbicides				
(may include data				
collected over last 2 years)				
Aalachlor ug/l	ND	ND	ND	6
Aldicarb Sulfone ug/l	ND	ND	ND	5
Aldicarb Sulfoxide ug/l	ND	ND	ND	5
Atrazine ug/l	ND	ND	ND	6
Butachlor ug/l	ND	ND	ND	6
Carbofuran ug/l	ND	ND	ND	5
1,2-Dibromoethane (EDB) ng/l	ND	ND	ND	6
Metalaxyl ug/l	ND	ND	ND	6
Metolachlor ug/l	ND	ND	ND	6
Simazine ug/l	ND	ND	ND	6
Tetrachloroterephthalic Acid (TCPA) ug/l	ND	ND	ND	3
Volatile Organic Compounds				
Bromodichloromethane ug/l	ND	ND	ND	4
Bromoform ug/l	ND	ND	ND	4
Carbon Tetrachloride ug/l	ND	ND	ND	4
Chlorodibromomethane ug/l	ND	ND	ND	4
Chloroform ug/l	ND	ND	ND	4
Cis-1,2-Dichloroethene ug/l	ND	ND	ND	4
Dichlorodifluoromethane ug/l	ND	ND	ND	4
1,1-Dichloroethane ug/l	ND	ND	ND	4
1,2-Dichloroethane ug/l	ND	ND	ND	4
1,1-Dichloroethene ug/l	ND	ND	ND	4
1,2-Dichloropropane ug/l	ND	ND	ND	4
Ethyl Benzene ug/l	ND	ND	ND	4
Methyl-Tert-Butyl-Ether (MTBE) ug/l	ND	ND	ND	4
Tetrachloroethene ug/l	ND	ND	ND	4
Toluene ug/l	ND	ND	ND	4
1,1,1-Trichloroethane ug/l	ND	ND	ND	4
Trichloroethene ug/l	ND	ND	ND	4
Trichlorofluoromethane (Freon 11) ug/l	ND	ND	ND	4
1,2,3-Trichloropropane ug/l	ND	ND	ND	4
1,2,4-Trimethylbenzene ug/l	ND	ND	ND	4
1,1,2-Trichlorotrifluoroethane ug/l	ND	ND	ND	4
o-Xylene ug/l	ND	ND	ND	4
p,m-Xylene ug/l	ND	ND	ND	4
Vinyl Chloride ug/l	ND	ND	ND	4
Disinfection By-Products				
Bromochloroacetic Acid ug/l	NA	NA	NA	NA
Bromodichloroacetic Acid ug/l	NA	NA	NA	NA
Dibromoacetic Acid ug/l	NA	NA	NA	NA

2001 Supplemental Water Quality Report BAY VIEW WALK #2

BAY VIEW WALK #2

	Range of Readings			Number Of Tests
	Low Value	High Value	Avg. Value	
Radioactivity				
Gross Alpha activity pCi/l	NA	NA	NA	0
Gross Beta activity pCi/l	NA	NA	NA	0
Bismuth-214 pCi/l	NA	NA	NA	0
Cesium-137 pCi/l	NA	NA	NA	0
Radon pCi/l	ND	ND	ND	3
Inorganics				
Alkalinity, total mg/l	22.8	24.2	23.7	3
Aluminum mg/l	0.08	0.69	0.48	3
Ammonia, free mg/l	ND	0.01	ND	3
Arsenic ug/l	ND	ND	ND	2
Barium mg/l	ND	ND	ND	2
Boron mg/l	0.12	0.13	0.13	2
Bromide mg/l	ND	ND	ND	3
CO2, calculated mg/l	4.7	7.4	6.0	2
Calcium mg/l	ND	0.1	ND	2
Chloride mg/l	3.3	3.8	3.6	3
Cobalt-59 ug/l	ND	ND	ND	2
Color units	11	28	17	3
Copper mg/l	ND	ND	ND	3
Dissolved Solids, total mg/l	38	46	42	2
Fluoride mg/l	ND	ND	ND	3
Hardness, total mg/l	ND	ND	ND	3

Iron ug/l	77	232	173	3
Lead ug/l	ND	ND	ND	3
Lithium ug/l	2.6	3.5	3.1	2
Magnesium mg/l	0.04	0.04	0.04	2
Manganese ug/l	ND	ND	ND	3
Nickel ug/l	ND	ND	ND	3
Nitrate mg/l	ND	ND	ND	3
Nitrite mg/l	ND	ND	ND	3
Perchlorate ug/l	ND	ND	ND	3
Phosphate, ortho mg/l	0.48	0.54	0.52	3
Phosphate, total mg/l	0.47	0.56	0.51	3
pH	6.8	7.0	6.9	3
Potassium mg/l	0.92	0.99	0.95	2
Silicon mg/l	4.3	5.2	4.7	2
Sodium mg/l	13.6	13.6	13.6	2
Specific Conductance UMHO/CM	60	67	65	3
Strontium-89 mg/l	ND	ND	ND	2
Sulfate mg/l	3.9	4.0	3.9	3
Surfactants mg/l	ND	ND	ND	3
Tin ug/l	ND	ND	ND	2
Titanium ug/l	ND	25.3	14.1	2
Turbidity NT UNITS	0.78	2.0	1.2	3
Zinc mg/l	ND	ND	ND	3

2001 Supplemental Water Quality Report

BAY VIEW WALK #2

	Range of Readings			Number Of Tests
	Low Value	High Value	Avg. Value	

Synthetic Organic Compounds				
Including Pesticides and Herbicides				
(may include data collected over last 2 years)				
Alachlor ug/l	ND	ND	ND	3
Aldicarb Sulfone ug/l	ND	ND	ND	4
Aldicarb Sulfoxide ug/l	ND	ND	ND	4
Atrazine ug/l	ND	ND	ND	3
Carbofuran ug/l	ND	ND	ND	4
1,2-Dibromomethane (EDB) ng/l	ND	ND	ND	3
Dinoseb ug/l	ND	ND	ND	3
Metalaxyl ug/l	ND	ND	ND	3
Metolachlor ug/l	ND	ND	ND	3
Metribuzin ug/l	ND	ND	ND	3
Simazine ug/l	ND	ND	ND	3
Tetrachloroterephthalic Acid (TCPA) ug/l	ND	ND	ND	3
Volatile Organic Compounds				
Bromodichloromethane ug/l	ND	ND	ND	2
Bromoform ug/l	ND	ND	ND	2
Carbon Tetrachloride ug/l	ND	ND	ND	2
Chlorodibromomethane ug/l	ND	ND	ND	2
Chloroform ug/l	ND	ND	ND	2
Cis-1,2-Dichloroethene ug/l	ND	ND	ND	2
Dichlorodifluoromethane ug/l	ND	ND	ND	2
1,1-Dichloroethane ug/l	ND	ND	ND	2
1,2-Dichloroethane ug/l	ND	ND	ND	2
1,1-Dichloroethene ug/l	ND	ND	ND	2
1,2-Dichloropropane ug/l	ND	ND	ND	2
Methyl-Tert-Butyl-Ether (MTBE) ug/l	ND	ND	ND	2
Tetrachloroethene ug/l	ND	ND	ND	2

Trans-1,2-dichloroethene ug/l	ND	ND	ND	2
1,1,1-Trichloroethane ug/l	ND	ND	ND	2
Trichloroethene ug/l	ND	ND	ND	2
Trichlorofluoromethane (Freon 11) ug/l	ND	ND	ND	2
1,2,3-Trichloropropane ug/l	ND	ND	ND	2
1,1,2-Trichlorotrifluoroethane ug/l	ND	ND	ND	2
Vinyl Chloride ug/l	ND	ND	ND	2
p,m-Xylene ug/l	ND	ND	ND	2
Disinfection By-Products				
Bromochloroacetic Acid ug/l	NA	NA	NA	0
Bromodichloroacetic Acid ug/l	NA	NA	NA	0
Chlorodibromoacetic Acid ug/l	NA	NA	NA	0

GO BACK

BAYVIEW WALK

2003 Supplemental Report (Calendar Year 2002)
BAYVIEW WALK

Page 1

Radiological Compounds				
Component	Low Value	High Value	Avg. Value	Number of Tests
Gross Alpha Activity pci/l	NA	NA	NA	0
Gross Beta Activity pci/l	NA	NA	NA	0
Cesium-137 pci/l	NA	NA	NA	0
Lead-210 pci/l	NA	NA	NA	0
Radon	NA	NA	NA	0

Inorganic Compounds				
Component	Low Value	High Value	Avg. Value	Number of Tests
Alkalinity, Total mg/l	21.4	25.4	23.3	3
Aluminum mg/l	0.39	0.89	0.67	4
Ammonia, Free mg/l	ND	ND	ND	3
Arsenic ug/l	ND	ND	ND	4
Asbestos MFL	NA	NA	NA	0
Barium mg/l	ND	ND	ND	4
Boron mg/l	0.12	0.16	0.14	4
Bromide mg/l	ND	ND	ND	6
CO ₂ , Calculated mg/l	3.6	4.9	4.2	2
Cadmium ug/l	ND	ND	ND	4
Calcium mg/l	ND	ND	ND	4
Chloride mg/l	3.5	4.7	3.7	6
Chromium ug/l	ND	ND	ND	4
Cobalt-59 ug/l	ND	ND	ND	4
Color units	20	40	30	2
Copper mg/l	ND	ND	ND	4
Dissolved Solids, Total mg/l	38	39	39	2
Fluoride mg/l	ND	ND	ND	6
Hardness, Total mg/l	ND	ND	ND	4
Iron ug/l	166	373	252	4
Lead ug/l	ND	ND	ND	3
Lithium ug/l	3.2	3.9	3.7	4
Magnesium mg/l	ND	ND	ND	4
Manganese ug/l	ND	ND	ND	4
Nickel ug/l	ND	ND	ND	4
Nitrate mg/l	ND	0.12	ND	6
Perchlorate ug/l	ND	ND	ND	2
Phosphate, Ortho mg/l	0.14	0.54	0.41	6
Phosphate, Total mg/l	0.50	0.56	0.53	4
pH units	7.0	7.1	7.1	3
Potassium mg/l	0.93	1.02	0.98	4
Silicon mg/l	4.6	5.3	5.0	4
Sodium mg/l	12.7	14.5	13.5	4
Specific Conductance umho/cm	65	74	68	3
Strontium-89 mg/l	ND	ND	ND	4
Sulfate mg/l	3.7	4.1	3.9	6
Surfactants mg/l	ND	ND	ND	3
Tin ug/l	ND	ND	ND	4
Titanium ug/l	14.3	33.1	23.8	4
Turbidity NT units	1.8	4.0	3.1	3
Vanadium ug/l	ND	ND	ND	4
Zinc mg/l	ND	ND	ND	4

2003 Supplemental Report (Calendar Year 2002)
BAYVIEW WALK

Page 2

Synthetic Organic Compounds including Pesticides and Herbicides (may include data collected over last 2 years)				
Component	Low Value	High Value	Avg. Value	Number of Tests
Alachlor ug/l	ND	ND	ND	3
Aldicarb Sulfone ug/l	ND	ND	ND	4
Aldicarb Sulfoxide ug/l	ND	ND	ND	4
Atrazine ug/l	ND	ND	ND	3
1, 2-Dibromoethane (EDB) ng/l	ND	ND	ND	4
Dinoseb ug/l	ND	ND	ND	3
Metalaxyl ug/l	ND	ND	ND	3
Metolachlor ug/l	ND	ND	ND	3
Metribuzin ug/l	ND	ND	ND	3
Simazine ug/l	ND	ND	ND	3
Tetrachloroterephthalic Acid (TCPA)	ND	ND	ND	3

Volatile Organic Compounds				
Component	Low Value	High Value	Avg. Value	Number of Tests
Bromodichloromethane ug/l	ND	ND	ND	4
Bromoform ug/l	ND	ND	ND	4
Dibromochloromethane ug/l	ND	ND	ND	4
Chloroform ug/l	ND	ND	ND	4
Carbon Tetrachloride ug/l	ND	ND	ND	4
Cis-1, 2-Dichloroethene ug/l	ND	ND	ND	4
Dichlorodifluoromethane ug/l	ND	ND	ND	4
1, 1-Dichloroethane ug/l	ND	ND	ND	4
1, 2-Dichloroethane ug/l	ND	ND	ND	4
1, 1-Dichloroethene ug/l	ND	ND	ND	4
1, 2-Dichloropropane ug/l	ND	ND	ND	4
Methyl-Tert-Butyl-Ether (MTBE) ug/l	ND	ND	ND	4
Tetrachloroethene ug/l	ND	ND	ND	4
Trans-1, 2-Dichloroethene ug/l	ND	ND	ND	4
1, 1, 1-Trichloroethane ug/l	ND	ND	ND	4
Trichloroethene ug/l	ND	ND	ND	4
Trichlorofluoromethane (Freon 112)	ND	ND	ND	4
1, 2, 3-Trichloropropane ug/l	ND	ND	ND	4
1, 1, 2-Trichlorotrifluoroethane ug/l	ND	ND	ND	4
Vinyl Chloride ug/l	ND	ND	ND	4

GO BACK

CEDAR CT

2003 Supplemental Report (Calendar Year 2002)

Page 1

CEDAR CT

Radiological Compounds				
Component	Low Value	High Value	Avg. Value	Number of Tests
Gross Alpha Activity pci/l	NA	NA	NA	0
Gross Beta Activity pci/l	NA	NA	NA	0
Cesium-137 pci/l	NA	NA	NA	0
Lead-210 pci/l	NA	NA	NA	0
Radon	ND	ND	ND	9

Inorganic Compounds				
Component	Low Value	High Value	Avg. Value	Number of Tests
Alkalinity, Total mg/l	20.8	25.2	23.2	9
Aluminum mg/l	0.09	0.14	0.11	9
Ammonia, Free mg/l	ND	ND	ND	9
Arsenic ug/l	ND	ND	ND	9
Asbestos MFL	NA	NA	NA	0
Barium mg/l	ND	ND	ND	9
Boron mg/l	ND	0.12	ND	9
Bromide mg/l	ND	ND	ND	9
CO ₂ , Calculated mg/l	4.7	11.2	8.2	9
Cadmium ug/l	ND	ND	ND	9
Calcium mg/l	ND	ND	ND	9
Chloride mg/l	2.4	2.7	2.5	9
Chromium ug/l	ND	ND	ND	9
Cobalt-59 ug/l	ND	ND	ND	9
Color units	5	10	7	9
Copper mg/l	ND	ND	ND	9
Dissolved Solids, Total mg/l	39	42	41	9
Fluoride mg/l	ND	ND	ND	9
Hardness, Total mg/l	ND	ND	ND	9
Iron ug/l	174	290	216	9
Lead ug/l	ND	4.4	ND	9
Lithium ug/l	3.3	4.0	3.7	9
Magnesium mg/l	ND	ND	ND	9
Manganese ug/l	ND	ND	ND	9
Nickel ug/l	ND	0.7	ND	9
Nitrate mg/l	ND	0.16	ND	9
Perchlorate ug/l	ND	ND	ND	9
Phosphate, Ortho mg/l	ND	0.39	0.19	9
Phosphate, Total mg/l	0.21	0.29	0.26	9
pH units	6.6	7.0	6.8	9
Potassium mg/l	0.91	1.39	1.12	9
Silicon mg/l	3.8	4.3	4.1	9
Sodium mg/l	12.2	14.4	13.3	9
Specific Conductance umho/cm	57	76	68	14
Strontium-89 mg/l	ND	ND	ND	9
Sulfate mg/l	7.6	9.3	8.5	9
Surfactants mg/l	ND	ND	ND	9
Tin ug/l	ND	ND	ND	9
Titanium ug/l	ND	ND	ND	9
Turbidity NT units	ND	1.2	0.72	9
Vanadium ug/l	ND	ND	ND	9
Zinc mg/l	ND	ND	ND	9

2003 Supplemental Report (Calendar Year 2002)
CEDAR CT

Page 2

Synthetic Organic Compounds including Pesticides and Herbicides (may include data collected over last 2 years)				
Component	Low Value	High Value	Avg. Value	Number of Tests
Alachlor ug/l	ND	ND	ND	8
Aldicarb Sulfone ug/l	ND	ND	ND	9
Aldicarb Sulfoxide ug/l	ND	ND	ND	9
Atrazine ug/l	ND	ND	ND	8
1, 2-Dibromoethane (EDB) ng/l	ND	ND	ND	9
Dinoseb ug/l	ND	ND	ND	8
Metalaxyl ug/l	ND	ND	ND	8
Metolachlor ug/l	ND	ND	ND	8
Metribuzin ug/l	ND	ND	ND	8
Simazine ug/l	ND	ND	ND	8
Tetrachloroterephthalic Acid (TCPA)	ND	ND	ND	8

Volatile Organic Compounds				
Component	Low Value	High Value	Avg. Value	Number of Tests
Bromodichloromethane ug/l	ND	ND	ND	9
Bromoform ug/l	ND	ND	ND	9
Dibromochloromethane ug/l	ND	ND	ND	9
Chloroform ug/l	ND	ND	ND	9
Carbon Tetrachloride ug/l	ND	ND	ND	9
Cis-1, 2-Dichloroethene ug/l	ND	ND	ND	9
Dichlorodifluoromethane ug/l	ND	ND	ND	9
1, 1-Dichloroethane ug/l	ND	ND	ND	9
1, 2-Dichloroethane ug/l	ND	ND	ND	9
1, 1-Dichloroethene ug/l	ND	ND	ND	9
1, 2-Dichloropropane ug/l	ND	ND	ND	9
Methyl-Tert-Butyl-Ether (MTBE) ug/l	ND	ND	ND	9
Tetrachloroethene ug/l	ND	ND	ND	9
Trans-1, 2-Dichloroethene ug/l	ND	ND	ND	9
1, 1, 1-Trichloroethane ug/l	ND	ND	ND	9
Trichloroethene ug/l	ND	ND	ND	9
Trichlorofluoromethane (Freon 112)	ND	ND	ND	9
1, 2, 3-Trichloropropane ug/l	ND	ND	ND	9
1, 1, 2-Trichlorotrifluoroethane ug/l	ND	ND	ND	9
Vinyl Chloride ug/l	ND	ND	ND	9

GO BACK

CENTER WALK

2003 Supplemental Report (Calendar Year 2002)
CENTER WALK

Page 1

Radiological Compounds				
Component	Low Value	High Value	Avg. Value	Number of Tests
Gross Alpha Activity pci/l	NA	NA	NA	0
Gross Beta Activity pci/l	NA	NA	NA	0
Cesium-137 pci/l	NA	NA	NA	0
Lead-210 pci/l	NA	NA	NA	0
Radon	ND	ND	ND	4

Inorganic Compounds				
Component	Low Value	High Value	Avg. Value	Number of Tests
Alkalinity, Total mg/l	11.6	23.4	17.3	8
Aluminum mg/l	0.15	1.67	0.87	16
Ammonia, Free mg/l	ND	ND	ND	8
Arsenic ug/l	ND	ND	ND	8
Asbestos MFL	NA	NA	NA	0
Barium mg/l	ND	ND	ND	8
Boron mg/l	ND	0.12	ND	8
Bromide mg/l	ND	ND	ND	8
CO ₂ , Calculated mg/l	7.2	20.6	11.7	8
Cadmium ug/l	ND	ND	ND	8
Calcium mg/l	ND	ND	ND	8
Chloride mg/l	3.5	4.0	3.7	8
Chromium ug/l	ND	ND	ND	8
Cobalt-59 ug/l	ND	ND	ND	8
Color units	7	84	49	8
Copper mg/l	ND	0.02	ND	16
Dissolved Solids, Total mg/l	26	37	32	8
Fluoride mg/l	ND	ND	ND	8
Hardness, Total mg/l	ND	2.4	ND	8
Iron ug/l	128	663	317	15
Lead ug/l	ND	2.8	ND	16
Lithium ug/l	3.9	10.0	7.0	8
Magnesium mg/l	ND	0.38	0.20	8
Manganese ug/l	ND	ND	ND	16
Nickel ug/l	ND	1.4	ND	16
Nitrate mg/l	ND	0.14	ND	8
Perchlorate ug/l	ND	ND	ND	7
Phosphate, Ortho mg/l	ND	0.48	0.24	8
Phosphate, Total mg/l	ND	1.31	0.44	16
pH units	6.1	6.8	6.5	8
Potassium mg/l	1.98	3.65	2.80	8
Silicon mg/l	4.0	6.0	4.8	8
Sodium mg/l	5.2	10.8	8.2	8
Specific Conductance umho/cm	47	60	54	14
Strontium-89 mg/l	ND	ND	ND	8
Sulfate mg/l	4.3	4.7	4.5	8
Surfactants mg/l	ND	ND	ND	8
Tin ug/l	ND	ND	ND	8
Titanium ug/l	6.6	58.9	26.5	8
Turbidity NT units	1.1	9.0	5.3	8
Vanadium ug/l	ND	ND	ND	8
Zinc mg/l	ND	0.24	0.04	16

2003 Supplemental Report (Calendar Year 2002)
CENTER WALK

Page 2

Synthetic Organic Compounds including Pesticides and Herbicides (may include data collected over last 2 years)				
Component	Low Value	High Value	Avg. Value	Number of Tests
Alachlor ug/l	ND	ND	ND	4
Aldicarb Sulfone ug/l	ND	ND	ND	8
Aldicarb Sulfoxide ug/l	ND	ND	ND	8
Atrazine ug/l	ND	ND	ND	4
1, 2-Dibromoethane (EDB) ng/l	ND	ND	ND	7
Dinoseb ug/l	ND	ND	ND	4
Metalaxyl ug/l	ND	ND	ND	4
Metolachlor ug/l	ND	ND	ND	4
Metribuzin ug/l	ND	ND	ND	4
Simazine ug/l	ND	ND	ND	4
Tetrachloroterephthalic Acid (TCPA)	ND	ND	ND	4

Volatile Organic Compounds				
Component	Low Value	High Value	Avg. Value	Number of Tests
Bromodichloromethane ug/l	ND	ND	ND	8
Bromoform ug/l	ND	ND	ND	8
Dibromochloromethane ug/l	ND	ND	ND	8
Chloroform ug/l	ND	ND	ND	8
Carbon Tetrachloride ug/l	ND	ND	ND	8
Cis-1, 2-Dichloroethene ug/l	ND	ND	ND	8
Dichlorodifluoromethane ug/l	ND	ND	ND	8
1, 1-Dichloroethane ug/l	ND	ND	ND	8
1, 2-Dichloroethane ug/l	ND	ND	ND	8
1, 1-Dichloroethene ug/l	ND	ND	ND	8
1, 2-Dichloropropane ug/l	ND	ND	ND	8
Methyl-Tert-Butyl-Ether (MTBE) ug/l	ND	ND	ND	8
Tetrachloroethene ug/l	ND	ND	ND	8
Trans-1, 2-Dichloroethene ug/l	ND	ND	ND	8
1, 1, 1-Trichloroethane ug/l	ND	ND	ND	8
Trichloroethene ug/l	ND	ND	ND	8
Trichlorofluoromethane (Freon 112)	ND	ND	ND	8
1, 2, 3-Trichloropropane ug/l	ND	ND	ND	8
1, 1, 2-Trichlorotrifluoroethane ug/l	ND	ND	ND	8
Vinyl Chloride ug/l	ND	ND	ND	8

GO BACK

CENTRAL WALK

2003 Supplemental Report (Calendar Year 2002)

Page 1

CENTRAL WALK

Radiological Compounds				
Component	Low Value	High Value	Avg. Value	Number of Tests
Gross Alpha Activity pci/l	NA	NA	NA	0
Gross Beta Activity pci/l	NA	NA	NA	0
Cesium-137 pci/l	NA	NA	NA	0
Lead-210 pci/l	NA	NA	NA	0
Radon	ND	ND	ND	4

Inorganic Compounds				
Component	Low Value	High Value	Avg. Value	Number of Tests
Alkalinity, Total mg/l	16.4	16.4	16.4	1
Aluminum mg/l	0.35	0.35	0.35	1
Ammonia, Free mg/l	ND	ND	ND	1
Arsenic ug/l	ND	ND	ND	1
Asbestos MFL	NA	NA	NA	0
Barium mg/l	ND	ND	ND	1
Boron mg/l	ND	ND	ND	1
Bromide mg/l	ND	ND	ND	1
CO ₂ , Calculated mg/l	6.3	6.3	6.3	1
Cadmium ug/l	ND	ND	ND	1
Calcium mg/l	ND	ND	ND	1
Chloride mg/l	3.7	3.7	3.7	1
Chromium ug/l	ND	ND	ND	1
Cobalt-59 ug/l	ND	ND	ND	1
Color units	20	20	20	1
Copper mg/l	ND	ND	ND	1
Dissolved Solids, Total mg/l	32	32	32	1
Fluoride mg/l	ND	ND	ND	1
Hardness, Total mg/l	ND	ND	ND	1
Iron ug/l	207	207	207	1
Lead ug/l	ND	ND	ND	1
Lithium ug/l	6.4	6.4	6.4	1
Magnesium mg/l	ND	ND	ND	1
Manganese ug/l	ND	ND	ND	1
Nickel ug/l	ND	ND	ND	1
Nitrate mg/l	ND	ND	ND	1
Perchlorate ug/l	ND	ND	ND	4
Phosphate, Ortho mg/l	0.11	0.11	0.11	1
Phosphate, Total mg/l	0.25	0.25	0.25	1
pH units	6.7	6.7	6.7	1
Potassium mg/l	3.54	3.54	3.54	1
Silicon mg/l	4.9	4.9	4.9	1
Sodium mg/l	8.7	8.7	8.7	1
Specific Conductance umho/cm	58	58	58	1
Strontium-89 mg/l	ND	ND	ND	1
Sulfate mg/l	5.0	5.0	5.0	1
Surfactants mg/l	ND	ND	ND	1
Tin ug/l	ND	ND	ND	1
Titanium ug/l	18.1	18.1	18.1	1
Turbidity NT units	2.0	2.0	2.0	1
Vanadium ug/l	ND	ND	ND	1
Zinc mg/l	ND	ND	ND	1

2003 Supplemental Report (Calendar Year 2002)
CENTRAL WALK

Page 2

Synthetic Organic Compounds including Pesticides and Herbicides (may include data collected over last 2 years)				
Component	Low Value	High Value	Avg. Value	Number of Tests
Alachlor ug/l	ND	ND	ND	4
Aldicarb Sulfone ug/l	ND	ND	ND	4
Aldicarb Sulfoxide ug/l	ND	ND	ND	4
Atrazine ug/l	ND	ND	ND	4
1, 2-Dibromoethane (EDB) ng/l	ND	ND	ND	4
Dinoseb ug/l	ND	ND	ND	4
Metalaxyl ug/l	ND	ND	ND	4
Metolachlor ug/l	ND	ND	ND	4
Metribuzin ug/l	ND	ND	ND	4
Simazine ug/l	ND	ND	ND	4
Tetrachloroterephthalic Acid (TCPA)	ND	ND	ND	4

Volatile Organic Compounds				
Component	Low Value	High Value	Avg. Value	Number of Tests
Bromodichloromethane ug/l	ND	ND	ND	4
Bromoform ug/l	ND	ND	ND	4
Dibromochloromethane ug/l	ND	ND	ND	4
Chloroform ug/l	ND	ND	ND	4
Carbon Tetrachloride ug/l	ND	ND	ND	4
Cis-1, 2-Dichloroethene ug/l	ND	ND	ND	4
Dichlorodifluoromethane ug/l	ND	ND	ND	4
1, 1-Dichloroethane ug/l	ND	ND	ND	4
1, 2-Dichloroethane ug/l	ND	ND	ND	4
1, 1-Dichloroethene ug/l	ND	ND	ND	4
1, 2-Dichloropropane ug/l	ND	ND	ND	4
Methyl-Tert-Butyl-Ether (MTBE) ug/l	ND	ND	ND	4
Tetrachloroethene ug/l	ND	ND	ND	4
Trans-1, 2-Dichloroethene ug/l	ND	ND	ND	4
1, 1, 1-Trichloroethane ug/l	ND	ND	ND	4
Trichloroethene ug/l	ND	ND	ND	4
Trichlorofluoromethane (Freon 112)	ND	ND	ND	4
1, 2, 3-Trichloropropane ug/l	ND	ND	ND	4
1, 1, 2-Trichlorotrifluoroethane ug/l	ND	ND	ND	4
Vinyl Chloride ug/l	ND	ND	ND	4

EAST WALK

2003 Supplemental Report (Calendar Year 2002)

Page 1

EAST WALK

Radiological Compounds				
Component	Low Value	High Value	Avg. Value	Number of Tests
Gross Alpha Activity pci/l	NA	NA	NA	0
Gross Beta Activity pci/l	NA	NA	NA	0
Cesium-137 pci/l	NA	NA	NA	0
Lead-210 pci/l	NA	NA	NA	0
Radon	ND	ND	ND	6

Inorganic Compounds				
Component	Low Value	High Value	Avg. Value	Number of Tests
Alkalinity, Total mg/l	18.0	23.8	21.5	11
Aluminum mg/l	0.21	0.92	0.44	21
Ammonia, Free mg/l	ND	ND	ND	11
Arsenic ug/l	ND	ND	ND	13
Asbestos MFL	NA	NA	NA	0
Barium mg/l	ND	ND	ND	13
Boron mg/l	ND	ND	ND	13
Bromide mg/l	ND	ND	ND	27
CO2, Calculated mg/l	2.7	5.5	4.3	11
Cadmium ug/l	ND	ND	ND	13
Calcium mg/l	ND	1.0	ND	13
Chloride mg/l	3.3	4.4	3.6	27
Chromium ug/l	ND	ND	ND	13
Cobalt-59 ug/l	ND	ND	ND	13
Color units	8	75	26	11
Copper mg/l	ND	ND	ND	21
Dissolved Solids, Total mg/l	32	38	35	11
Fluoride mg/l	ND	ND	ND	27
Hardness, Total mg/l	ND	8.0	ND	13
Iron ug/l	107	1168	212	21
Lead ug/l	ND	2.5	ND	21
Lithium ug/l	3.0	5.9	3.9	13
Magnesium mg/l	ND	ND	ND	13
Manganese ug/l	ND	13	ND	21
Nickel ug/l	ND	ND	ND	21
Nitrate mg/l	ND	0.16	ND	27
Perchlorate ug/l	ND	ND	ND	6
Phosphate, Ortho mg/l	ND	0.50	0.16	27
Phosphate, Total mg/l	0.12	0.33	0.18	21
pH units	6.8	7.2	7.0	11
Potassium mg/l	1.09	2.29	1.45	13
Silicon mg/l	4.7	5.8	5.2	13
Sodium mg/l	10.0	13.2	11.8	13
Specific Conductance umho/cm	51	69	60	31
Strontium-89 mg/l	ND	ND	ND	13
Sulfate mg/l	3.8	5.4	4.4	27
Surfactants mg/l	ND	ND	ND	11
Tin ug/l	ND	ND	ND	13
Titanium ug/l	6.0	34.4	17.7	12
Turbidity NT units	1.1	6.5	2.8	11
Vanadium ug/l	ND	ND	ND	13
Zinc mg/l	ND	ND	ND	21

2003 Supplemental Report (Calendar Year 2002)
EAST WALK

Page 2

Synthetic Organic Compounds including Pesticides and Herbicides (may include data collected over last 2 years)				
Component	Low Value	High Value	Avg. Value	Number of Tests
Alachlor ug/l	ND	ND	ND	6
Aldicarb Sulfone ug/l	ND	ND	ND	12
Aldicarb Sulfoxide ug/l	ND	ND	ND	12
Atrazine ug/l	ND	ND	ND	6
1, 2-Dibromoethane (EDB) ng/l	ND	ND	ND	12
Dinoseb ug/l	ND	ND	ND	6
Metalaxyl ug/l	ND	ND	ND	6
Metolachlor ug/l	ND	ND	ND	6
Metribuzin ug/l	ND	ND	ND	6
Simazine ug/l	ND	ND	ND	6
Tetrachloroterephthalic Acid (TCPA)	ND	ND	ND	6

Volatile Organic Compounds				
Component	Low Value	High Value	Avg. Value	Number of Tests
Bromodichloromethane ug/l	ND	ND	ND	12
Bromoform ug/l	ND	ND	ND	12
Dibromochloromethane ug/l	ND	ND	ND	12
Chloroform ug/l	ND	ND	ND	12
Carbon Tetrachloride ug/l	ND	ND	ND	12
Cis-1, 2-Dichloroethene ug/l	ND	ND	ND	12
Dichlorodifluoromethane ug/l	ND	ND	ND	12
1, 1-Dichloroethane ug/l	ND	ND	ND	12
1, 2-Dichloroethane ug/l	ND	ND	ND	12
1, 1-Dichloroethene ug/l	ND	ND	ND	12
1, 2-Dichloropropane ug/l	ND	ND	ND	12
Methyl-Tert-Butyl-Ether (MTBE) ug/l	ND	ND	ND	12
Tetrachloroethene ug/l	ND	ND	ND	12
Trans-1, 2-Dichloroethene ug/l	ND	ND	ND	12
1, 1, 1-Trichloroethane ug/l	ND	ND	ND	12
Trichloroethene ug/l	ND	ND	ND	12
Trichlorofluoromethane (Freon 112)	ND	ND	ND	12
1, 2, 3-Trichloropropane ug/l	ND	ND	ND	12
1, 1, 2-Trichlorotrifluoroethane ug/l	ND	ND	ND	12
Vinyl Chloride ug/l	ND	ND	ND	12

GO BACK

FISHERMANS PATH

2003 Supplemental Report (Calendar Year 2002)

Page 1

FISHERMANS PATH

Radiological Compounds				
Component	Low Value	High Value	Avg. Value	Number of Tests
Gross Alpha Activity pci/l	NA	NA	NA	0
Gross Beta Activity pci/l	NA	NA	NA	0
Cesium-137 pci/l	NA	NA	NA	0
Lead-210 pci/l	NA	NA	NA	0
Radon	ND	ND	ND	4

Inorganic Compounds				
Component	Low Value	High Value	Avg. Value	Number of Tests
Alkalinity, Total mg/l	18.0	22.0	20.7	4
Aluminum mg/l	0.09	0.40	0.22	10
Ammonia, Free mg/l	ND	ND	ND	4
Arsenic ug/l	ND	ND	ND	4
Asbestos MFL	NA	NA	NA	0
Barium mg/l	ND	ND	ND	4
Boron mg/l	ND	0.11	ND	4
Bromide mg/l	ND	ND	ND	5
CO ₂ , Calculated mg/l	5.2	6.6	5.7	4
Cadmium ug/l	ND	ND	ND	4
Calcium mg/l	ND	0.6	ND	4
Chloride mg/l	3.4	4.3	3.8	5
Chromium ug/l	ND	ND	ND	4
Cobalt-59 ug/l	ND	ND	ND	4
Color units	10	28	15	4
Copper mg/l	ND	0.02	ND	10
Dissolved Solids, Total mg/l	33	35	34	4
Fluoride mg/l	ND	ND	ND	5
Hardness, Total mg/l	ND	13.8	4.2	4
Iron ug/l	80	339	173	10
Lead ug/l	ND	1.5	ND	9
Lithium ug/l	3.7	4.1	3.8	4
Magnesium mg/l	ND	ND	ND	4
Manganese ug/l	ND	ND	ND	10
Nickel ug/l	ND	2.6	0.6	9
Nitrate mg/l	ND	ND	ND	5
Perchlorate ug/l	ND	ND	ND	4
Phosphate, Ortho mg/l	0.25	0.33	0.30	5
Phosphate, Total mg/l	0.31	0.44	0.35	10
pH units	6.8	6.9	6.9	4
Potassium mg/l	1.56	1.65	1.60	4
Silicon mg/l	4.3	4.9	4.6	4
Sodium mg/l	10.6	11.9	11.4	4
Specific Conductance umho/cm	58	71	61	7
Strontium-89 mg/l	ND	ND	ND	4
Sulfate mg/l	3.6	4.1	3.9	5
Surfactants mg/l	ND	ND	ND	4
Tin ug/l	ND	ND	ND	4
Titanium ug/l	8.3	21.4	12.1	4
Turbidity NT units	0.57	2.5	1.3	4
Vanadium ug/l	ND	ND	ND	4
Zinc mg/l	ND	0.16	0.03	10

2003 Supplemental Report (Calendar Year 2002)
FISHERMANS PATH

Page 2

Synthetic Organic Compounds including Pesticides and Herbicides (may include data collected over last 2 years)				
Component	Low Value	High Value	Avg. Value	Number of Tests
Alachlor ug/l	ND	ND	ND	4
Aldicarb Sulfone ug/l	ND	ND	ND	5
Aldicarb Sulfoxide ug/l	ND	ND	ND	5
Atrazine ug/l	ND	ND	ND	4
1, 2-Dibromoethane (EDB) ng/l	ND	ND	ND	5
Dinoseb ug/l	ND	ND	ND	4
Metalaxyl ug/l	ND	ND	ND	4
Metolachlor ug/l	ND	ND	ND	4
Metribuzin ug/l	ND	ND	ND	4
Simazine ug/l	ND	ND	ND	4
Tetrachloroterephthalic Acid (TCPA)	ND	ND	ND	4

Volatile Organic Compounds				
Component	Low Value	High Value	Avg. Value	Number of Tests
Bromodichloromethane ug/l	ND	1.5	0.5	8
Bromoform ug/l	ND	ND	ND	8
Dibromochloromethane ug/l	ND	ND	ND	8
Chloroform ug/l	ND	10	2.7	8
Carbon Tetrachloride ug/l	ND	ND	ND	8
Cis-1, 2-Dichloroethene ug/l	ND	ND	ND	8
Dichlorodifluoromethane ug/l	ND	ND	ND	8
1, 1-Dichloroethane ug/l	ND	ND	ND	8
1, 2-Dichloroethane ug/l	ND	ND	ND	8
1, 1-Dichloroethene ug/l	ND	ND	ND	8
1, 2-Dichloropropane ug/l	ND	ND	ND	8
Methyl-Tert-Butyl-Ether (MTBE) ug/l	ND	ND	ND	8
Tetrachloroethene ug/l	ND	ND	ND	8
Trans-1, 2-Dichloroethene ug/l	ND	ND	ND	8
1, 1, 1-Trichloroethane ug/l	ND	ND	ND	8
Trichloroethene ug/l	ND	ND	ND	8
Trichlorofluoromethane (Freon 112)	ND	ND	ND	8
1, 2, 3-Trichloropropane ug/l	ND	ND	ND	8
1, 1, 2-Trichlorotrifluoroethane ug/l	ND	ND	ND	8
Vinyl Chloride ug/l	ND	ND	ND	8

GO BACK

POINT O WOODS

2003 Supplemental Report (Calendar Year 2002)

Page 1

POINT O WOODS

Radiological Compounds				
Component	Low Value	High Value	Avg. Value	Number of Tests
Gross Alpha Activity pci/l	NA	NA	NA	0
Gross Beta Activity pci/l	NA	NA	NA	0
Cesium-137 pci/l	NA	NA	NA	0
Lead-210 pci/l	NA	NA	NA	0
Radon	ND	ND	ND	6

Inorganic Compounds				
Component	Low Value	High Value	Avg. Value	Number of Tests
Alkalinity, Total mg/l	16.2	22.8	20.3	6
Aluminum mg/l	1.09	1.52	1.32	5
Ammonia, Free mg/l	ND	ND	ND	6
Arsenic ug/l	ND	ND	ND	6
Asbestos MFL	NA	NA	NA	0
Barium mg/l	ND	ND	ND	6
Boron mg/l	0.11	0.13	0.12	6
Bromide mg/l	ND	ND	ND	10
CO ₂ , Calculated mg/l	4.0	8.1	5.0	5
Cadmium ug/l	ND	ND	ND	6
Calcium mg/l	ND	0.6	ND	6
Chloride mg/l	3.4	4.3	3.6	10
Chromium ug/l	ND	ND	ND	6
Cobalt-59 ug/l	ND	ND	ND	6
Color units	36	124	67	6
Copper mg/l	ND	ND	ND	6
Dissolved Solids, Total mg/l	31	37	35	5
Fluoride mg/l	ND	0.3	ND	10
Hardness, Total mg/l	ND	3.6	ND	6
Iron ug/l	187	606	345	6
Lead ug/l	ND	4.1	1.2	6
Lithium ug/l	2.3	5.5	3.3	6
Magnesium mg/l	ND	ND	ND	6
Manganese ug/l	ND	ND	ND	6
Nickel ug/l	ND	1.7	0.9	6
Nitrate mg/l	ND	0.24	ND	10
Perchlorate ug/l	ND	ND	ND	6
Phosphate, Ortho mg/l	ND	0.48	0.29	10
Phosphate, Total mg/l	ND	0.49	0.30	6
pH units	6.7	7.0	6.9	6
Potassium mg/l	0.41	1.13	0.74	6
Silicon mg/l	5.5	7.9	6.2	6
Sodium mg/l	10.7	12.2	11.6	6
Specific Conductance umho/cm	45	61	57	15
Strontium-89 mg/l	ND	ND	ND	6
Sulfate mg/l	3.4	4.6	3.9	10
Surfactants mg/l	ND	ND	ND	6
Tin ug/l	ND	ND	ND	6
Titanium ug/l	38.7	69.8	53.2	6
Turbidity NT units	3.2	14.1	7.2	6
Vanadium ug/l	ND	ND	ND	6
Zinc mg/l	ND	0.03	ND	6

2003 Supplemental Report (Calendar Year 2002)
POINT O WOODS

Page 2

Synthetic Organic Compounds including Pesticides and Herbicides (may include data collected over last 2 years)				
Component	Low Value	High Value	Avg. Value	Number of Tests
Alachlor ug/l	ND	ND	ND	5
Aldicarb Sulfone ug/l	ND	ND	ND	6
Aldicarb Sulfoxide ug/l	ND	ND	ND	6
Atrazine ug/l	ND	ND	ND	5
1, 2-Dibromoethane (EDB) ng/l	ND	ND	ND	6
Dinoseb ug/l	ND	ND	ND	5
Metalaxyl ug/l	ND	ND	ND	5
Metolachlor ug/l	ND	ND	ND	5
Metribuzin ug/l	ND	ND	ND	5
Simazine ug/l	ND	ND	ND	5
Tetrachloroterephthalic Acid (TCPA)	ND	ND	ND	5

Volatile Organic Compounds				
Component	Low Value	High Value	Avg. Value	Number of Tests
Bromodichloromethane ug/l	ND	ND	ND	6
Bromoform ug/l	ND	ND	ND	6
Dibromochloromethane ug/l	ND	ND	ND	6
Chloroform ug/l	ND	ND	ND	6
Carbon Tetrachloride ug/l	ND	ND	ND	6
Cis-1, 2-Dichloroethene ug/l	ND	ND	ND	6
Dichlorodifluoromethane ug/l	ND	ND	ND	6
1, 1-Dichloroethane ug/l	ND	ND	ND	6
1, 2-Dichloroethane ug/l	ND	ND	ND	6
1, 1-Dichloroethene ug/l	ND	ND	ND	6
1, 2-Dichloropropane ug/l	ND	ND	ND	6
Methyl-Tert-Butyl-Ether (MTBE) ug/l	ND	ND	ND	6
Tetrachloroethene ug/l	ND	ND	ND	6
Trans-1, 2-Dichloroethene ug/l	ND	ND	ND	6
1, 1, 1-Trichloroethane ug/l	ND	ND	ND	6
Trichloroethene ug/l	ND	ND	ND	6
Trichlorofluoromethane (Freon 112)	ND	ND	ND	6
1, 2, 3-Trichloropropane ug/l	ND	ND	ND	6
1, 1, 2-Trichlorotrifluoroethane ug/l	ND	ND	ND	6
Vinyl Chloride ug/l	ND	ND	ND	6

GO BACK

ROBINS WALK

2003 Supplemental Report (Calendar Year 2002)
ROBINS WALK

Page 1

Radiological Compounds				
Component	Low Value	High Value	Avg. Value	Number of Tests
Gross Alpha Activity pci/l	NA	NA	NA	0
Gross Beta Activity pci/l	NA	NA	NA	0
Cesium-137 pci/l	NA	NA	NA	0
Lead-210 pci/l	NA	NA	NA	0
Radon	NA	NA	NA	0

Inorganic Compounds				
Component	Low Value	High Value	Avg. Value	Number of Tests
Alkalinity, Total mg/l	15.2	17.4	16.6	3
Aluminum mg/l	0.08	0.14	0.11	3
Ammonia, Free mg/l	ND	ND	ND	4
Arsenic ug/l	ND	ND	ND	3
Asbestos MFL	NA	NA	NA	0
Barium mg/l	ND	ND	ND	3
Boron mg/l	ND	ND	ND	3
Bromide mg/l	ND	ND	ND	3
CO ₂ , Calculated mg/l	10.5	16.9	13.1	3
Cadmium ug/l	ND	ND	ND	3
Calcium mg/l	ND	ND	ND	3
Chloride mg/l	3.7	4.0	3.8	3
Chromium ug/l	ND	ND	ND	3
Cobalt-59 ug/l	ND	ND	ND	3
Color units	ND	29	14	3
Copper mg/l	ND	ND	ND	3
Dissolved Solids, Total mg/l	30	32	31	3
Fluoride mg/l	ND	ND	ND	3
Hardness, Total mg/l	ND	ND	ND	3
Iron ug/l	751	1142	911	3
Lead ug/l	ND	ND	ND	3
Lithium ug/l	8.7	9.2	9.0	3
Magnesium mg/l	ND	0.21	0.16	3
Manganese ug/l	ND	12	ND	3
Nickel ug/l	ND	2.3	1.1	3
Nitrate mg/l	ND	ND	ND	3
Perchlorate ug/l	ND	ND	ND	3
Phosphate, Ortho mg/l	ND	ND	ND	3
Phosphate, Total mg/l	ND	0.14	ND	3
pH units	6.3	6.5	6.4	3
Potassium mg/l	4.54	4.63	4.59	3
Silicon mg/l	4.2	4.6	4.4	3
Sodium mg/l	6.4	7.1	6.7	3
Specific Conductance umho/cm	54	57	55	3
Strontium-89 mg/l	ND	ND	ND	3
Sulfate mg/l	4.6	4.8	4.7	3
Surfactants mg/l	ND	ND	ND	3
Tin ug/l	ND	ND	ND	3
Titanium ug/l	ND	5.3	ND	3
Turbidity NT units	0.93	2.7	1.6	3
Vanadium ug/l	ND	ND	ND	3
Zinc mg/l	ND	ND	ND	3

2003 Supplemental Report (Calendar Year 2002)
ROBINS WALK

Page 2

Synthetic Organic Compounds including Pesticides and Herbicides (may include data collected over last 2 years)				
Component	Low Value	High Value	Avg. Value	Number of Tests
Alachlor ug/l	ND	ND	ND	3
Aldicarb Sulfone ug/l	ND	ND	ND	4
Aldicarb Sulfoxide ug/l	ND	ND	ND	4
Atrazine ug/l	ND	ND	ND	3
1, 2-Dibromoethane (EDB) ng/l	ND	ND	ND	4
Dinoseb ug/l	ND	ND	ND	3
Metalaxyl ug/l	ND	ND	ND	3
Metolachlor ug/l	ND	ND	ND	3
Metribuzin ug/l	ND	ND	ND	3
Simazine ug/l	ND	ND	ND	3
Tetrachloroterephthalic Acid (TCPA)	ND	ND	ND	3

Volatile Organic Compounds				
Component	Low Value	High Value	Avg. Value	Number of Tests
Bromodichloromethane ug/l	ND	ND	ND	4
Bromoform ug/l	ND	ND	ND	4
Dibromochloromethane ug/l	ND	ND	ND	4
Chloroform ug/l	ND	ND	ND	4
Carbon Tetrachloride ug/l	ND	ND	ND	4
Cis-1, 2-Dichloroethene ug/l	ND	ND	ND	4
Dichlorodifluoromethane ug/l	ND	ND	ND	4
1, 1-Dichloroethane ug/l	ND	ND	ND	4
1, 2-Dichloroethane ug/l	ND	ND	ND	4
1, 1-Dichloroethene ug/l	ND	ND	ND	4
1, 2-Dichloropropane ug/l	ND	ND	ND	4
Methyl-Tert-Butyl-Ether (MTBE) ug/l	ND	ND	ND	4
Tetrachloroethene ug/l	ND	ND	ND	4
Trans-1, 2-Dichloroethene ug/l	ND	ND	ND	4
1, 1, 1-Trichloroethane ug/l	ND	ND	ND	4
Trichloroethene ug/l	ND	ND	ND	4
Trichlorofluoromethane (Freon 112)	ND	ND	ND	4
1, 2, 3-Trichloropropane ug/l	ND	ND	ND	4
1, 1, 2-Trichlorotrifluoroethane ug/l	ND	ND	ND	4
Vinyl Chloride ug/l	ND	ND	ND	4

BAY WALK**INORGANICS**

	<u>Min Value</u>	<u>Max Value</u>	<u>Avg Value</u>	<u>Number Of Tests</u>
Alkalinity mg/l	ND	ND	ND	3
Aluminum mg/l	0.25	0.31	0.28	4
Ammonia mg/l	ND	ND	ND	3
Arsenic ug/l	ND	ND	ND	4
Barium mg/l	ND	ND	ND	4
Boron mg/l	ND	ND	ND	4
Bromide mg/l	ND	ND	ND	4
Cadmium ug/l	ND	ND	ND	4
Calcium mg/l	ND	ND	ND	4
CO2 Units	8.8	12.4	10.6	4
Chloride mg/l	3.6	3.8	3.7	4
Chromium ug/l	ND	ND	ND	4
Cobalt ug/l	ND	ND	ND	4
Color Color Units	10	12	11	3
Copper mg/l	ND	ND	ND	4
Dissolved solids total mg/l	28	29	29	4
Fluoride mg/l	ND	ND	ND	4
Hardness mg/l	ND	ND	ND	4
Iron ug/l	96	214	151	4
Lead ug/l	ND	ND	ND	4
Lithium ug/l	5.4	6.0	5.6	4
Magnesium mg/l	ND	0.15	ND	4
Manganese ug/l	ND	ND	ND	4
Molybdenum ug/l	ND	ND	ND	4
Nickel ug/l	ND	ND	ND	4
Nitrate mg/l	ND	ND	ND	4
Perchlorate ug/l	ND	ND	ND	4
Phosphorus (as t-PO4) mg/l	ND	0.10	ND	4
pH pH Units	5.4	6.9	6.4	7
Potassium mg/l	3.55	3.84	3.69	4
Selenium ug/l	ND	ND	ND	4
Silicon mg/l	4.2	4.5	4.3	4
Sodium mg/l	7.5	7.7	7.6	4
Specific conductance umho/cm	53	54	53	4
Strontium mg/l	ND	ND	ND	4
Sulfate mg/l	3.8	4.3	4.1	4
Tin ug/l	ND	ND	ND	4
Titanium ug/l	10.6	13.4	12.3	4
Turbidity NTU	1.2	1.4	1.3	3
Vanadium ug/l	ND	ND	ND	4
Zinc mg/l	ND	ND	ND	4

BAY WALK**SYNTHETIC ORGANIC COMPOUNDS**

	<u>Min Value</u>	<u>Max Value</u>	<u>Avg Value</u>	<u>Number Of Tests</u>
Alachlor ug/l	ND	ND	ND	3
Aldicarb Sulfone ug/l	ND	ND	ND	3
Aldicarb Sulfoxide ug/l	ND	ND	ND	3
DCPA Diacid ug/l	ND	ND	ND	3
1,2-Dibromoethane (EDB) ng/l	ND	ND	ND	3
Dinoseb ug/l	ND	ND	ND	3
Metalaxyl ug/l	ND	ND	ND	3
Metolachlor ug/l	ND	ND	ND	3
Metribuzin ug/l	ND	ND	ND	3
Simazine ug/l	ND	ND	ND	3

VOLATILE ORGANIC COMPOUNDS

	<u>Min Value</u>	<u>Max Value</u>	<u>Avg Value</u>	<u>Number Of Tests</u>
Bromodichloromethane ug/l	ND	ND	ND	4
Bromoform ug/l	ND	ND	ND	4
Dibromochloromethane ug/l	ND	ND	ND	4
Chloroform ug/l	ND	ND	ND	4
Carbon Tetrachloride ug/l	ND	ND	ND	4
Cis-1,2-Dichloroethene ug/l	ND	ND	ND	4
Dichlorodifluoromethane ug/l	ND	ND	ND	4
1,1-Dichloroethane ug/l	ND	ND	ND	4
1,2-Dichloroethane ug/l	ND	ND	ND	4
1,1-Dichloroethene ug/l	ND	ND	ND	4
1,2-Dichloropropane ug/l	ND	ND	ND	4
Methyl-T-Butyl Ether ug/l	ND	ND	ND	4
Tetrachloroethene ug/l	ND	ND	ND	4
1,1,1-Trichloroethane ug/l	ND	ND	ND	4
Trichloroethene ug/l	ND	ND	ND	4
Trichlorofluoromethane ug/l	ND	ND	ND	4
1,2,3-Trichloropropane ug/l	ND	ND	ND	4
1,1,2-Trichlorotrifluoroethane ug/l	ND	ND	ND	4
Vinyl Chloride ug/l	ND	ND	ND	4

BAYVIEW WALK**INORGANICS**

	<u>Min Value</u>	<u>Max Value</u>	<u>Avg Value</u>	<u>Number Of Tests</u>
Alkalinity mg/l	23.2	24.2	23.7	2
Aluminum mg/l	0.23	0.50	0.37	2
Ammonia mg/l	ND	ND	ND	2
Arsenic ug/l	ND	ND	ND	2
Barium mg/l	ND	ND	ND	2
Boron mg/l	0.12	0.13	0.12	2
Bromide mg/l	ND	ND	ND	14
Cadmium ug/l	ND	ND	ND	2
Calcium mg/l	ND	ND	ND	2
CO2 Units	4.7	5.9	5.3	2
Chloride mg/l	3.3	4.3	3.5	14
Chromium ug/l	ND	ND	ND	2
Cobalt ug/l	ND	ND	ND	2
Color Color Units	21	27	24	2
Copper mg/l	ND	ND	ND	2
Dissolved solids total mg/l	36	36	36	2
Fluoride mg/l	0.2	0.3	0.2	14
Hardness mg/l	ND	ND	ND	2
Iron ug/l	120	142	131	2
Lead ug/l	ND	ND	ND	2
Lithium ug/l	2.9	2.9	2.9	2
Magnesium mg/l	ND	ND	ND	2
Manganese ug/l	ND	ND	ND	2
Molybdenum ug/l	ND	ND	ND	2
Nickel ug/l	ND	ND	ND	2
Nitrate mg/l	ND	ND	ND	14
Perchlorate ug/l	ND	ND	ND	2
Phosphorus (as t-PO4) mg/l	0.51	0.51	0.51	2
pH pH Units	5.5	7.4	6.8	6
Potassium mg/l	0.86	0.92	0.89	2
Selenium ug/l	ND	ND	ND	2
Silicon mg/l	4.1	4.8	4.5	2
Sodium mg/l	13.0	13.4	13.2	2
Specific conductance umho/cm	61	69	65	14
Strontium mg/l	ND	ND	ND	2
Sulfate mg/l	3.5	4.1	3.8	14
Tin ug/l	ND	ND	ND	2
Titanium ug/l	8.5	18.8	13.6	2
Turbidity NTU	2.1	2.3	2.2	2
Vanadium ug/l	ND	ND	ND	2
Zinc mg/l	ND	ND	ND	2

BAYVIEW WALK**SYNTHETIC ORGANIC COMPOUNDS**

	<u>Min Value</u>	<u>Max Value</u>	<u>Avg Value</u>	<u>Number Of Tests</u>
Alachlor ug/l	ND	ND	ND	4
Aldicarb Sulfone ug/l	ND	ND	ND	4
Aldicarb Sulfoxide ug/l	ND	ND	ND	4
DCPA Diacid ug/l	ND	ND	ND	2
1,2-Dibromoethane (EDB) ng/l	ND	ND	ND	4
Dinoseb ug/l	ND	ND	ND	2
Metalaxyl ug/l	ND	ND	ND	2
Metolachlor ug/l	ND	ND	ND	4
Metribuzin ug/l	ND	ND	ND	4
Simazine ug/l	ND	ND	ND	4

VOLATILE ORGANIC COMPOUNDS

	<u>Min Value</u>	<u>Max Value</u>	<u>Avg Value</u>	<u>Number Of Tests</u>
Bromodichloromethane ug/l	ND	ND	ND	4
Bromoform ug/l	ND	ND	ND	4
Dibromochloromethane ug/l	ND	ND	ND	4
Chloroform ug/l	ND	ND	ND	4
Carbon Tetrachloride ug/l	ND	ND	ND	4
Cis-1,2-Dichloroethene ug/l	ND	ND	ND	4
Dichlorodifluoromethane ug/l	ND	ND	ND	4
1,1-Dichloroethane ug/l	ND	ND	ND	4
1,2-Dichloroethane ug/l	ND	ND	ND	4
1,1-Dichloroethene ug/l	ND	ND	ND	4
1,2-Dichloropropane ug/l	ND	ND	ND	4
Methyl-T-Butyl Ether ug/l	ND	ND	ND	4
Tetrachloroethene ug/l	ND	ND	ND	4
1,1,1-Trichloroethane ug/l	ND	ND	ND	4
Trichloroethene ug/l	ND	ND	ND	4
Trichlorofluoromethane ug/l	ND	ND	ND	4
1,2,3-Trichloropropane ug/l	ND	ND	ND	4
1,1,2-Trichlorotrifluoroethane ug/l	ND	ND	ND	4
Vinyl Chloride ug/l	ND	ND	ND	4

CEDAR CT
INORGANICS

	<u>Min Value</u>	<u>Max Value</u>	<u>Avg Value</u>	<u>Number Of Tests</u>
Alkalinity mg/l	21.2	24.4	22.1	11
Aluminum mg/l	0.03	0.15	0.07	11
Ammonia mg/l	ND	ND	ND	11
Arsenic ug/l	ND	ND	ND	11
Barium mg/l	ND	ND	ND	11
Boron mg/l	0.10	0.11	0.11	11
Bromide mg/l	ND	ND	ND	11
Cadmium ug/l	ND	ND	ND	11
Calcium mg/l	ND	ND	ND	11
CO2 Units	ND	13.1	7.5	11
Chloride mg/l	2.3	2.8	2.5	11
Chromium ug/l	ND	ND	ND	11
Cobalt ug/l	ND	ND	ND	11
Color Color Units	ND	10	6	11
Copper mg/l	ND	ND	ND	11
Dissolved solids total mg/l	37	42	39	11
Fluoride mg/l	ND	ND	ND	11
Hardness mg/l	ND	ND	ND	11
Iron ug/l	197	272	228	11
Lead ug/l	ND	ND	ND	11
Lithium ug/l	3.7	4.0	3.8	11
Magnesium mg/l	ND	0.18	ND	11
Manganese ug/l	ND	ND	ND	11
Molybdenum ug/l	ND	ND	ND	11
Nickel ug/l	ND	ND	ND	11
Nitrate mg/l	ND	ND	ND	11
Perchlorate ug/l	ND	ND	ND	12
Phosphorus (as t-PO4) mg/l	0.19	0.29	0.25	11
pH pH Units	5.9	7.6	6.6	25
Potassium mg/l	1.07	1.31	1.19	11
Selenium ug/l	ND	ND	ND	11
Silicon mg/l	3.7	4.5	4.1	11
Sodium mg/l	12.3	15.2	13.7	11
Specific conductance umho/cm	67	72	69	11
Strontium mg/l	ND	ND	ND	11
Sulfate mg/l	7.2	8.4	7.7	11
Tin ug/l	ND	ND	ND	11
Titanium ug/l	ND	5.5	ND	11
Turbidity NTU	ND	1.2	0.70	11
Vanadium ug/l	ND	ND	ND	11
Zinc mg/l	ND	0.03	ND	11

CEDAR CT**SYNTHETIC ORGANIC COMPOUNDS**

	<u>Min Value</u>	<u>Max Value</u>	<u>Avg Value</u>	<u>Number Of Tests</u>
Alachlor ug/l	ND	ND	ND	12
Aldicarb Sulfone ug/l	ND	ND	ND	12
Aldicarb Sulfoxide ug/l	ND	ND	ND	12
DCPA Diacid ug/l	ND	ND	ND	10
1,2-Dibromoethane (EDB) ng/l	ND	ND	ND	12
Dinoseb ug/l	ND	ND	ND	10
Metalaxyl ug/l	ND	ND	ND	10
Metolachlor ug/l	ND	ND	ND	12
Metribuzin ug/l	ND	ND	ND	12
Simazine ug/l	ND	ND	ND	12

VOLATILE ORGANIC COMPOUNDS

	<u>Min Value</u>	<u>Max Value</u>	<u>Avg Value</u>	<u>Number Of Tests</u>
Bromodichloromethane ug/l	ND	ND	ND	12
Bromoform ug/l	ND	ND	ND	12
Dibromochloromethane ug/l	ND	ND	ND	12
Chloroform ug/l	ND	ND	ND	12
Carbon Tetrachloride ug/l	ND	ND	ND	12
Cis-1,2-Dichloroethene ug/l	ND	ND	ND	12
Dichlorodifluoromethane ug/l	ND	ND	ND	12
1,1-Dichloroethane ug/l	ND	ND	ND	12
1,2-Dichloroethane ug/l	ND	ND	ND	12
1,1-Dichloroethene ug/l	ND	ND	ND	12
1,2-Dichloropropane ug/l	ND	ND	ND	12
Methyl-T-Butyl Ether ug/l	ND	ND	ND	12
Tetrachloroethene ug/l	ND	ND	ND	12
1,1,1-Trichloroethane ug/l	ND	ND	ND	12
Trichloroethene ug/l	ND	ND	ND	12
Trichlorofluoromethane ug/l	ND	ND	ND	12
1,2,3-Trichloropropane ug/l	ND	ND	ND	12
1,1,2-Trichlorotrifluoroethane ug/l	ND	ND	ND	12
Vinyl Chloride ug/l	ND	ND	ND	12

CENTER WALK

INORGANICS

	<u>Min Value</u>	<u>Max Value</u>	<u>Avg Value</u>	<u>Number Of Tests</u>
Alkalinity mg/l	ND	22.0	ND	8
Aluminum mg/l	0.15	1.29	0.61	8
Ammonia mg/l	ND	ND	ND	10
Arsenic ug/l	ND	ND	ND	8
Barium mg/l	ND	ND	ND	8
Boron mg/l	ND	0.11	ND	8
Bromide mg/l	ND	ND	ND	8
Cadmium ug/l	ND	ND	ND	8
Calcium mg/l	ND	ND	ND	8
CO2 Units	ND	21.8	11.3	8
Chloride mg/l	3.4	4.0	3.6	8
Chromium ug/l	ND	ND	ND	8
Cobalt ug/l	ND	ND	ND	8
Color Color Units	9	59	36	8
Copper mg/l	ND	ND	ND	8
Dissolved solids total mg/l	26	36	31	8
Fluoride mg/l	ND	ND	ND	8
Hardness mg/l	ND	2.8	ND	8
Iron ug/l	233	1173	543	8
Lead ug/l	ND	ND	ND	8
Lithium ug/l	5.6	10.3	7.9	8
Magnesium mg/l	ND	0.45	0.24	8
Manganese ug/l	ND	11	ND	8
Molybdenum ug/l	ND	ND	ND	8
Nickel ug/l	ND	ND	ND	8
Nitrate mg/l	ND	ND	ND	8
Perchlorate ug/l	ND	ND	ND	7
Phosphorus (as t-PO4) mg/l	ND	0.68	0.31	8
pH pH Units	5.4	7.2	6.3	16
Potassium mg/l	2.07	3.72	2.96	8
Selenium ug/l	ND	ND	ND	8
Silicon mg/l	3.9	5.7	4.8	8
Sodium mg/l	5.2	10.9	8.0	8
Specific conductance umho/cm	47	62	54	8
Strontium mg/l	ND	ND	ND	8
Sulfate mg/l	4.0	4.6	4.2	8
Tin ug/l	ND	ND	ND	8
Titanium ug/l	6.0	53.5	25.2	8
Turbidity NTU	1.2	6.5	3.9	8
Vanadium ug/l	ND	1.6	ND	8
Zinc mg/l	ND	ND	ND	8

CENTER WALK
SYNTHETIC ORGANIC COMPOUNDS

	<u>Min Value</u>	<u>Max Value</u>	<u>Avg Value</u>	<u>Number Of Tests</u>
Alachlor ug/l	ND	ND	ND	6
Aldicarb Sulfone ug/l	ND	ND	ND	8
Aldicarb Sulfoxide ug/l	ND	ND	ND	8
DCPA Diacid ug/l	ND	ND	ND	4
1,2-Dibromoethane (EDB) ng/l	ND	ND	ND	6
Dinoseb ug/l	ND	ND	ND	4
Metalaxyl ug/l	ND	ND	ND	4
Metolachlor ug/l	ND	ND	ND	6
Metribuzin ug/l	ND	ND	ND	6
Simazine ug/l	ND	ND	ND	6

VOLATILE ORGANIC COMPOUNDS

	<u>Min Value</u>	<u>Max Value</u>	<u>Avg Value</u>	<u>Number Of Tests</u>
Bromodichloromethane ug/l	ND	ND	ND	8
Bromoform ug/l	ND	ND	ND	8
Dibromochloromethane ug/l	ND	ND	ND	8
Chloroform ug/l	ND	ND	ND	8
Carbon Tetrachloride ug/l	ND	ND	ND	8
Cis-1,2-Dichloroethene ug/l	ND	ND	ND	8
Dichlorodifluoromethane ug/l	ND	ND	ND	8
1,1-Dichloroethane ug/l	ND	ND	ND	8
1,2-Dichloroethane ug/l	ND	ND	ND	8
1,1-Dichloroethene ug/l	ND	ND	ND	8
1,2-Dichloropropane ug/l	ND	ND	ND	8
Methyl-T-Butyl Ether ug/l	ND	ND	ND	8
Tetrachloroethene ug/l	ND	ND	ND	8
1,1,1-Trichloroethane ug/l	ND	ND	ND	8
Trichloroethene ug/l	ND	ND	ND	8
Trichlorofluoromethane ug/l	ND	ND	ND	8
1,2,3-Trichloropropane ug/l	ND	ND	ND	8
1,1,2-Trichlorotrifluoroethane ug/l	ND	ND	ND	8
Vinyl Chloride ug/l	ND	ND	ND	8

CENTRAL WALK**INORGANICS**

	<u>Min Value</u>	<u>Max Value</u>	<u>Avg Value</u>	<u>Number Of Tests</u>
Alkalinity mg/l	ND	20.0	ND	3
Aluminum mg/l	0.29	1.37	0.81	3
Ammonia mg/l	ND	ND	ND	2
Arsenic ug/l	ND	ND	ND	3
Barium mg/l	ND	ND	ND	3
Boron mg/l	ND	ND	ND	3
Bromide mg/l	ND	ND	ND	2
Cadmium ug/l	ND	ND	ND	3
Calcium mg/l	ND	ND	ND	3
CO2 Units	11.1	12.3	11.7	2
Chloride mg/l	3.4	3.5	3.4	2
Chromium ug/l	ND	ND	ND	3
Cobalt ug/l	ND	ND	ND	3
Color Color Units	53	65	59	2
Copper mg/l	ND	ND	ND	3
Dissolved solids total mg/l	32	36	34	2
Fluoride mg/l	ND	ND	ND	2
Hardness mg/l	ND	ND	ND	3
Iron ug/l	203	391	282	3
Lead ug/l	ND	ND	ND	3
Lithium ug/l	6.2	7.2	6.6	3
Magnesium mg/l	ND	ND	ND	3
Manganese ug/l	ND	ND	ND	3
Molybdenum ug/l	ND	ND	ND	3
Nickel ug/l	ND	1.1	0.5	3
Nitrate mg/l	ND	ND	ND	2
Perchlorate ug/l	ND	ND	ND	4
Phosphorus (as t-PO4) mg/l	0.24	0.26	0.25	3
pH pH Units	6.0	6.6	6.4	7
Potassium mg/l	3.44	3.47	3.45	3
Selenium ug/l	ND	ND	ND	3
Silicon mg/l	4.4	6.6	5.3	3
Sodium mg/l	9.2	9.6	9.4	3
Specific conductance umho/cm	58	60	59	3
Strontium mg/l	ND	ND	ND	3
Sulfate mg/l	4.4	4.4	4.4	2
Tin ug/l	ND	ND	ND	3
Titanium ug/l	15.5	67.8	40.2	3
Turbidity NTU	2.2	14	6.3	11
Vanadium ug/l	ND	1.3	ND	3
Zinc mg/l	ND	ND	ND	3

CENTRAL WALK**SYNTHETIC ORGANIC COMPOUNDS**

	<u>Min Value</u>	<u>Max Value</u>	<u>Avg Value</u>	<u>Number Of Tests</u>
Alachlor ug/l	ND	ND	ND	4
Aldicarb Sulfone ug/l	ND	ND	ND	4
Aldicarb Sulfoxide ug/l	ND	ND	ND	4
DCPA Diacid ug/l	ND	ND	ND	4
1,2-Dibromoethane (EDB) ng/l	ND	ND	ND	4
Dinoseb ug/l	ND	ND	ND	4
Metalaxyl ug/l	ND	ND	ND	3
Metolachlor ug/l	ND	ND	ND	4
Metribuzin ug/l	ND	ND	ND	4
Simazine ug/l	ND	ND	ND	4

VOLATILE ORGANIC COMPOUNDS

	<u>Min Value</u>	<u>Max Value</u>	<u>Avg Value</u>	<u>Number Of Tests</u>
Bromodichloromethane ug/l	ND	ND	ND	4
Bromoform ug/l	ND	ND	ND	4
Dibromochloromethane ug/l	ND	ND	ND	4
Chloroform ug/l	ND	ND	ND	4
Carbon Tetrachloride ug/l	ND	ND	ND	4
Cis-1,2-Dichloroethene ug/l	ND	ND	ND	4
Dichlorodifluoromethane ug/l	ND	ND	ND	4
1,1-Dichloroethane ug/l	ND	ND	ND	4
1,2-Dichloroethane ug/l	ND	ND	ND	4
1,1-Dichloroethene ug/l	ND	ND	ND	4
1,2-Dichloropropane ug/l	ND	ND	ND	4
Methyl-T-Butyl Ether ug/l	ND	ND	ND	4
Tetrachloroethene ug/l	ND	ND	ND	4
1,1,1-Trichloroethane ug/l	ND	ND	ND	4
Trichloroethene ug/l	ND	ND	ND	4
Trichlorofluoromethane ug/l	ND	ND	ND	4
1,2,3-Trichloropropane ug/l	ND	ND	ND	4
1,1,2-Trichlorotrifluoroethane ug/l	ND	ND	ND	4
Vinyl Chloride ug/l	ND	ND	ND	4

EAST WALK #2**INORGANICS**

	<u>Min Value</u>	<u>Max Value</u>	<u>Avg Value</u>	<u>Number Of Tests</u>
Alkalinity mg/l	23.0	24.0	23.5	2
Aluminum mg/l	0.27	0.35	0.31	2
Ammonia mg/l	ND	ND	ND	3
Arsenic ug/l	ND	ND	ND	2
Barium mg/l	ND	ND	ND	2
Boron mg/l	ND	ND	ND	2
Bromide mg/l	ND	ND	ND	14
Cadmium ug/l	ND	ND	ND	2
Calcium mg/l	ND	ND	ND	2
CO2 Units	4.5	4.7	4.6	2
Chloride mg/l	3.3	3.6	3.4	14
Chromium ug/l	ND	ND	ND	2
Cobalt ug/l	ND	ND	ND	2
Color Color Units	11	16	14	2
Copper mg/l	ND	ND	ND	2
Dissolved solids total mg/l	35	36	36	2
Fluoride mg/l	ND	ND	ND	14
Hardness mg/l	ND	ND	ND	2
Iron ug/l	208	212	210	2
Lead ug/l	ND	ND	ND	2
Lithium ug/l	3.0	3.4	3.2	2
Magnesium mg/l	ND	ND	ND	2
Manganese ug/l	ND	ND	ND	2
Molybdenum ug/l	ND	ND	ND	2
Nickel ug/l	ND	ND	ND	2
Nitrate mg/l	ND	ND	ND	14
Perchlorate ug/l	ND	ND	ND	2
Phosphorus (as t-PO4) mg/l	0.19	0.19	0.19	2
pH pH Units	6.3	7.9	6.9	6
Potassium mg/l	1.16	1.16	1.16	2
Selenium ug/l	ND	ND	ND	2
Silicon mg/l	4.8	5.1	5.0	2
Sodium mg/l	11.4	12.6	12.0	2
Specific conductance umho/cm	57	84	64	14
Strontium mg/l	ND	ND	ND	2
Sulfate mg/l	3.8	4.1	4.0	14
Tin ug/l	ND	ND	ND	2
Titanium ug/l	9.8	12.9	11.4	2
Turbidity NTU	1.1	1.5	1.3	2
Vanadium ug/l	ND	ND	ND	2
Zinc mg/l	ND	ND	ND	2

EAST WALK #2**SYNTHETIC ORGANIC COMPOUNDS**

<u>Min Value</u>	<u>Max Value</u>	<u>Avg Value</u>	<u>Number Of Tests</u>
------------------	------------------	------------------	------------------------

Alachlor ug/l	ND	ND	ND	2
Aldicarb Sulfone ug/l	ND	ND	ND	2
Aldicarb Sulfoxide ug/l	ND	ND	ND	2
DCPA Diacid ug/l	ND	ND	ND	2
1,2-Dibromoethane (EDB) ng/l	ND	ND	ND	2
Dinoseb ug/l	ND	ND	ND	2
Metalaxyl ug/l	ND	ND	ND	2
Metolachlor ug/l	ND	ND	ND	2
Metribuzin ug/l	ND	ND	ND	2
Simazine ug/l	ND	ND	ND	2

VOLATILE ORGANIC COMPOUNDS

	<u>Min Value</u>	<u>Max Value</u>	<u>Avg Value</u>	<u>Number Of Tests</u>
Bromodichloromethane ug/l	ND	ND	ND	4
Bromoform ug/l	ND	ND	ND	4
Dibromochloromethane ug/l	ND	ND	ND	4
Chloroform ug/l	ND	ND	ND	4
Carbon Tetrachloride ug/l	ND	ND	ND	4
Cis-1,2-Dichloroethene ug/l	ND	ND	ND	4
Dichlorodifluoromethane ug/l	ND	ND	ND	4
1,1-Dichloroethane ug/l	ND	ND	ND	4
1,2-Dichloroethane ug/l	ND	ND	ND	4
1,1-Dichloroethene ug/l	ND	ND	ND	4
1,2-Dichloropropane ug/l	ND	ND	ND	4
Methyl-T-Butyl Ether ug/l	ND	ND	ND	4
Tetrachloroethene ug/l	ND	ND	ND	4
1,1,1-Trichloroethane ug/l	ND	ND	ND	4
Trichloroethene ug/l	ND	ND	ND	4
Trichlorofluoromethane ug/l	ND	ND	ND	4
1,2,3-Trichloropropane ug/l	ND	ND	ND	4
1,1,2-Trichlorotrifluoroethane ug/l	ND	ND	ND	4
Vinyl Chloride ug/l	ND	ND	ND	4

EAST WALK SERVICE

INORGANICS

	<u>Min Value</u>	<u>Max Value</u>	<u>Avg Value</u>	<u>Number Of Tests</u>
Alkalinity mg/l	20.2	22.0	21.6	4
Aluminum mg/l	0.17	0.43	0.28	4
Ammonia mg/l	ND	0.04	ND	7
Arsenic ug/l	ND	ND	ND	4
Barium mg/l	ND	ND	ND	4
Boron mg/l	ND	ND	ND	4
Bromide mg/l	ND	ND	ND	26
Cadmium ug/l	ND	ND	ND	4
Calcium mg/l	ND	ND	ND	4
CO2 Units	4.3	6.8	5.1	4
Chloride mg/l	3.3	3.7	3.5	26
Chromium ug/l	ND	ND	ND	4
Cobalt ug/l	ND	ND	ND	4
Color Color Units	8	19	12	4
Copper mg/l	ND	ND	ND	4
Dissolved solids total mg/l	32	36	34	4
Fluoride mg/l	ND	ND	ND	26
Hardness mg/l	ND	ND	ND	4
Iron ug/l	81	473	195	4
Lead ug/l	ND	2.9	1.1	4
Lithium ug/l	3.0	4.7	4.0	4
Magnesium mg/l	ND	ND	ND	4
Manganese ug/l	ND	ND	ND	4
Molybdenum ug/l	ND	ND	ND	4
Nickel ug/l	ND	ND	ND	4
Nitrate mg/l	ND	ND	ND	26
Perchlorate ug/l	ND	ND	ND	4
Phosphorus (as t-PO4) mg/l	0.14	0.19	0.16	4
pH pH Units	5.8	8.1	6.9	12
Potassium mg/l	1.14	1.68	1.49	4
Selenium ug/l	ND	ND	ND	4
Silicon mg/l	4.7	5.4	4.9	4
Sodium mg/l	10.4	11.6	11.2	4
Specific conductance umho/cm	57	80	63	25
Strontium mg/l	ND	ND	ND	4
Sulfate mg/l	3.7	6.0	4.4	26
Tin ug/l	ND	ND	ND	4
Titanium ug/l	6.3	16.7	10.9	4
Turbidity NTU	1.1	2.1	1.4	4
Vanadium ug/l	ND	ND	ND	4
Zinc mg/l	ND	0.08	0.03	4

EAST WALK SERVICE
SYNTHETIC ORGANIC COMPOUNDS

	<u>Min Value</u>	<u>Max Value</u>	<u>Avg Value</u>	<u>Number Of Tests</u>
Alachlor ug/l	ND	ND	ND	4
Aldicarb Sulfone ug/l	ND	ND	ND	4
Aldicarb Sulfoxide ug/l	ND	ND	ND	4
DCPA Diacid ug/l	ND	ND	ND	4
1,2-Dibromoethane (EDB) ng/l	ND	ND	ND	4
Dinoseb ug/l	ND	ND	ND	4
Metalaxyl ug/l	ND	ND	ND	4
Metolachlor ug/l	ND	ND	ND	4
Metribuzin ug/l	ND	ND	ND	4
Simazine ug/l	ND	ND	ND	4

VOLATILE ORGANIC COMPOUNDS

	<u>Min Value</u>	<u>Max Value</u>	<u>Avg Value</u>	<u>Number Of Tests</u>
Bromodichloromethane ug/l	ND	ND	ND	8
Bromoform ug/l	ND	ND	ND	8
Dibromochloromethane ug/l	ND	ND	ND	8
Chloroform ug/l	ND	ND	ND	8
Carbon Tetrachloride ug/l	ND	ND	ND	8
Cis-1,2-Dichloroethene ug/l	ND	ND	ND	8
Dichlorodifluoromethane ug/l	ND	ND	ND	8
1,1-Dichloroethane ug/l	ND	ND	ND	8
1,2-Dichloroethane ug/l	ND	ND	ND	8
1,1-Dichloroethene ug/l	ND	ND	ND	8
1,2-Dichloropropane ug/l	ND	ND	ND	8
Methyl-T-Butyl Ether ug/l	ND	ND	ND	8
Tetrachloroethene ug/l	ND	ND	ND	8
1,1,1-Trichloroethane ug/l	ND	ND	ND	8
Trichloroethene ug/l	ND	ND	ND	8
Trichlorofluoromethane ug/l	ND	ND	ND	8
1,2,3-Trichloropropane ug/l	ND	ND	ND	8
1,1,2-Trichlorotrifluoroethane ug/l	ND	ND	ND	8
Vinyl Chloride ug/l	ND	ND	ND	8

FISHERMANS PATH**INORGANICS**

	<u>Min Value</u>	<u>Max Value</u>	<u>Avg Value</u>	<u>Number Of Tests</u>
Alkalinity mg/l	ND	21.2	ND	4
Aluminum mg/l	0.15	0.50	0.31	4
Ammonia mg/l	ND	ND	ND	6
Arsenic ug/l	ND	ND	ND	4
Barium mg/l	ND	ND	ND	4
Boron mg/l	ND	0.10	ND	4
Bromide mg/l	ND	ND	ND	4
Cadmium ug/l	ND	ND	ND	4
Calcium mg/l	ND	0.5	ND	4
CO2 Units	4.7	6.7	5.7	4
Chloride mg/l	3.4	3.6	3.5	4
Chromium ug/l	ND	ND	ND	4
Cobalt ug/l	ND	ND	ND	4
Color Color Units	12	27	20	4
Copper mg/l	ND	ND	ND	4
Dissolved solids total mg/l	31	33	33	4
Fluoride mg/l	ND	ND	ND	4
Hardness mg/l	ND	ND	ND	4
Iron ug/l	111	372	216	4
Lead ug/l	ND	1.5	ND	4
Lithium ug/l	3.7	4.5	4.0	4
Magnesium mg/l	ND	ND	ND	4
Manganese ug/l	ND	ND	ND	4
Molybdenum ug/l	ND	ND	ND	4
Nickel ug/l	ND	0.8	ND	4
Nitrate mg/l	ND	ND	ND	4
Perchlorate ug/l	ND	ND	ND	4
Phosphorus (as t-PO4) mg/l	0.34	0.36	0.35	4
pH pH Units	5.8	7.2	6.7	13
Potassium mg/l	1.58	1.84	1.66	4
Selenium ug/l	ND	ND	ND	4
Silicon mg/l	4.1	4.8	4.4	4
Sodium mg/l	10.4	11.5	10.8	4
Specific conductance umho/cm	55	61	58	4
Strontium mg/l	ND	ND	ND	4
Sulfate mg/l	3.2	3.7	3.5	4
Tin ug/l	ND	ND	ND	4
Titanium ug/l	7.1	21.4	13.1	4
Turbidity NTU	0.90	2.8	1.8	4
Vanadium ug/l	ND	ND	ND	4
Zinc mg/l	ND	ND	ND	4

FISHERMANS PATH
SYNTHETIC ORGANIC COMPOUNDS

	<u>Min Value</u>	<u>Max Value</u>	<u>Avg Value</u>	<u>Number Of Tests</u>
Alachlor ug/l	ND	ND	ND	2
Aldicarb Sulfone ug/l	ND	ND	ND	4
Aldicarb Sulfoxide ug/l	ND	ND	ND	4
DCPA Diacid ug/l	ND	ND	ND	4
1,2-Dibromoethane (EDB) ng/l	ND	ND	ND	2
Dinoseb ug/l	ND	ND	ND	4
Metalaxyl ug/l	ND	ND	ND	3
Metolachlor ug/l	ND	ND	ND	2
Metribuzin ug/l	ND	ND	ND	2
Simazine ug/l	ND	ND	ND	2

VOLATILE ORGANIC COMPOUNDS

	<u>Min Value</u>	<u>Max Value</u>	<u>Avg Value</u>	<u>Number Of Tests</u>
Bromodichloromethane ug/l	ND	ND	ND	8
Bromoform ug/l	ND	ND	ND	8
Dibromochloromethane ug/l	ND	ND	ND	8
Chloroform ug/l	ND	ND	ND	8
Carbon Tetrachloride ug/l	ND	ND	ND	8
Cis-1,2-Dichloroethene ug/l	ND	ND	ND	8
Dichlorodifluoromethane ug/l	ND	ND	ND	8
1,1-Dichloroethane ug/l	ND	ND	ND	8
1,2-Dichloroethane ug/l	ND	ND	ND	8
1,1-Dichloroethene ug/l	ND	ND	ND	8
1,2-Dichloropropane ug/l	ND	ND	ND	8
Methyl-T-Butyl Ether ug/l	ND	ND	ND	8
Tetrachloroethene ug/l	ND	ND	ND	8
1,1,1-Trichloroethane ug/l	ND	ND	ND	8
Trichloroethene ug/l	ND	ND	ND	8
Trichlorofluoromethane ug/l	ND	ND	ND	8
1,2,3-Trichloropropane ug/l	ND	ND	ND	8
1,1,2-Trichlorotrifluoroethane ug/l	ND	ND	ND	8
Vinyl Chloride ug/l	ND	ND	ND	8

HARBOR WALK**INORGANICS**

	<u>Min Value</u>	<u>Max Value</u>	<u>Avg Value</u>	<u>Number Of Tests</u>
Alkalinity mg/l	20.4	20.8	20.6	2
Aluminum mg/l	0.53	0.75	0.64	2
Ammonia mg/l	ND	ND	ND	2
Arsenic ug/l	ND	ND	ND	2
Barium mg/l	ND	ND	ND	2
Boron mg/l	ND	ND	ND	2
Bromide mg/l	ND	ND	ND	2
Cadmium ug/l	ND	ND	ND	2
Calcium mg/l	ND	ND	ND	2
CO2 Units	5.0	6.0	5.5	2
Chloride mg/l	3.4	3.5	3.4	2
Chromium ug/l	ND	ND	ND	2
Cobalt ug/l	ND	ND	ND	2
Color Color Units	34	44	39	2
Copper mg/l	ND	ND	ND	2
Dissolved solids total mg/l	33	34	34	2
Fluoride mg/l	ND	ND	ND	2
Hardness mg/l	ND	ND	ND	2
Iron ug/l	599	666	633	2
Lead ug/l	ND	ND	ND	2
Lithium ug/l	4.9	5.0	4.9	2
Magnesium mg/l	ND	ND	ND	2
Manganese ug/l	ND	ND	ND	2
Molybdenum ug/l	ND	ND	ND	2
Nickel ug/l	ND	ND	ND	2
Nitrate mg/l	ND	ND	ND	2
Perchlorate ug/l	ND	ND	ND	2
Phosphorus (as t-PO4) mg/l	0.27	0.29	0.28	2
pH pH Units	5.8	7.2	6.6	6
Potassium mg/l	1.67	1.74	1.71	2
Selenium ug/l	ND	ND	ND	2
Silicon mg/l	4.7	4.9	4.8	2
Sodium mg/l	10.6	10.8	10.7	2
Specific conductance umho/cm	58	60	59	2
Strontium mg/l	ND	ND	ND	2
Sulfate mg/l	3.4	3.6	3.5	2
Tin ug/l	ND	ND	ND	2
Titanium ug/l	24.0	32.1	28.0	2
Turbidity NTU	3.7	5.4	4.5	2
Vanadium ug/l	ND	ND	ND	2
Zinc mg/l	ND	ND	ND	2

HARBOR WALK
SYNTHETIC ORGANIC COMPOUNDS

	<u>Min Value</u>	<u>Max Value</u>	<u>Avg Value</u>	<u>Number Of Tests</u>
Alachlor ug/l	ND	ND	ND	2
Aldicarb Sulfone ug/l	ND	ND	ND	2
Aldicarb Sulfoxide ug/l	ND	ND	ND	2
DCPA Diacid ug/l	ND	ND	ND	2
1,2-Dibromoethane (EDB) ng/l	ND	ND	ND	2
Dinoseb ug/l	ND	ND	ND	2
Metalaxyl ug/l	ND	ND	ND	2
Metolachlor ug/l	ND	ND	ND	2
Metribuzin ug/l	ND	ND	ND	2
Simazine ug/l	ND	ND	ND	2

VOLATILE ORGANIC COMPOUNDS

	<u>Min Value</u>	<u>Max Value</u>	<u>Avg Value</u>	<u>Number Of Tests</u>
Bromodichloromethane ug/l	ND	ND	ND	4
Bromoform ug/l	ND	ND	ND	4
Dibromochloromethane ug/l	ND	ND	ND	4
Chloroform ug/l	ND	ND	ND	4
Carbon Tetrachloride ug/l	ND	ND	ND	4
Cis-1,2-Dichloroethene ug/l	ND	ND	ND	4
Dichlorodifluoromethane ug/l	ND	ND	ND	4
1,1-Dichloroethane ug/l	ND	ND	ND	4
1,2-Dichloroethane ug/l	ND	ND	ND	4
1,1-Dichloroethene ug/l	ND	ND	ND	4
1,2-Dichloropropane ug/l	ND	ND	ND	4
Methyl-T-Butyl Ether ug/l	ND	ND	ND	4
Tetrachloroethene ug/l	ND	ND	ND	4
1,1,1-Trichloroethane ug/l	ND	ND	ND	4
Trichloroethene ug/l	ND	ND	ND	4
Trichlorofluoromethane ug/l	ND	ND	ND	4
1,2,3-Trichloropropane ug/l	ND	ND	ND	4
1,1,2-Trichlorotrifluoroethane ug/l	ND	ND	ND	4
Vinyl Chloride ug/l	ND	ND	ND	4

ROBINS WALK**INORGANICS**

	<u>Min Value</u>	<u>Max Value</u>	<u>Avg Value</u>	<u>Number Of Tests</u>
Alkalinity mg/l	ND	ND	ND	2
Aluminum mg/l	0.05	0.07	0.06	2
Ammonia mg/l	ND	ND	ND	2
Arsenic ug/l	ND	ND	ND	2
Barium mg/l	ND	ND	ND	2
Boron mg/l	ND	ND	ND	2
Bromide mg/l	ND	ND	ND	2
Cadmium ug/l	ND	ND	ND	2
Calcium mg/l	ND	ND	ND	2
CO2 Units	14.3	15.5	14.9	2
Chloride mg/l	3.5	3.7	3.6	2
Chromium ug/l	ND	ND	ND	2
Cobalt ug/l	ND	ND	ND	2
Color Color Units	ND	6	ND	2
Copper mg/l	ND	ND	ND	2
Dissolved solids total mg/l	29	30	30	2
Fluoride mg/l	ND	ND	ND	2
Hardness mg/l	ND	ND	ND	2
Iron ug/l	841	957	899	2
Lead ug/l	ND	ND	ND	2
Lithium ug/l	8.2	8.9	8.6	2
Magnesium mg/l	ND	0.17	ND	2
Manganese ug/l	ND	ND	ND	2
Molybdenum ug/l	ND	ND	ND	2
Nickel ug/l	0.6	1.2	0.9	2
Nitrate mg/l	ND	ND	ND	2
Perchlorate ug/l	ND	ND	ND	2
Phosphorus (as t-PO4) mg/l	ND	ND	ND	2
pH pH Units	6.3	8.6	6.9	6
Potassium mg/l	4.56	4.57	4.57	2
Selenium ug/l	ND	ND	ND	2
Silicon mg/l	4.2	4.2	4.2	2
Sodium mg/l	6.2	6.3	6.3	2
Specific conductance umho/cm	54	56	55	2
Strontium mg/l	ND	ND	ND	2
Sulfate mg/l	4.3	4.5	4.4	2
Tin ug/l	ND	ND	ND	2
Titanium ug/l	ND	ND	ND	2
Turbidity NTU	ND	0.77	0.59	2
Vanadium ug/l	ND	ND	ND	2
Zinc mg/l	ND	ND	ND	2

ROBINS WALK**SYNTHETIC ORGANIC COMPOUNDS**

	<u>Min Value</u>	<u>Max Value</u>	<u>Avg Value</u>	<u>Number Of Tests</u>
Alachlor ug/l	ND	ND	ND	2
Aldicarb Sulfone ug/l	ND	ND	ND	2
Aldicarb Sulfoxide ug/l	ND	ND	ND	2
DCPA Diacid ug/l	ND	ND	ND	2
1,2-Dibromoethane (EDB) ng/l	ND	ND	ND	2
Dinoseb ug/l	ND	ND	ND	2
Metalaxyl ug/l	ND	ND	ND	2
Metolachlor ug/l	ND	ND	ND	2
Metribuzin ug/l	ND	ND	ND	2
Simazine ug/l	ND	ND	ND	2

VOLATILE ORGANIC COMPOUNDS

	<u>Min Value</u>	<u>Max Value</u>	<u>Avg Value</u>	<u>Number Of Tests</u>
Bromodichloromethane ug/l	ND	ND	ND	4
Bromoform ug/l	ND	ND	ND	4
Dibromochloromethane ug/l	ND	ND	ND	4
Chloroform ug/l	ND	1.1	ND	4
Carbon Tetrachloride ug/l	ND	ND	ND	4
Cis-1,2-Dichloroethene ug/l	ND	ND	ND	4
Dichlorodifluoromethane ug/l	ND	ND	ND	4
1,1-Dichloroethane ug/l	ND	ND	ND	4
1,2-Dichloroethane ug/l	ND	ND	ND	4
1,1-Dichloroethene ug/l	ND	ND	ND	4
1,2-Dichloropropane ug/l	ND	ND	ND	4
Methyl-T-Butyl Ether ug/l	ND	ND	ND	4
Tetrachloroethene ug/l	ND	ND	ND	4
1,1,1-Trichloroethane ug/l	ND	ND	ND	4
Trichloroethene ug/l	ND	ND	ND	4
Trichlorofluoromethane ug/l	ND	ND	ND	4
1,2,3-Trichloropropane ug/l	ND	ND	ND	4
1,1,2-Trichlorotrifluoroethane ug/l	ND	ND	ND	4
Vinyl Chloride ug/l	ND	ND	ND	4

BAY WALK #2A S-122220

INORGANICS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alkalinity mg/l	ND	ND	ND	3
Aluminum mg/l	0.22	0.26	0.23	3
Ammonia mg/l	ND	ND	ND	2
Arsenic ug/l	ND	ND	ND	3
Barium mg/l	ND	ND	ND	3
Boron mg/l	ND	ND	ND	3
Bromide mg/l	ND	ND	ND	2
Cadmium ug/l	ND	ND	ND	3
Calcium mg/l	ND	ND	ND	3
CO2 mg/l	7.8	16.9	12.3	3
Chloride mg/l	4.0	4.5	4.2	2
Free Chlorine Residual mg/l	ND	1.0	0.7	4
Chromium ug/l	ND	ND	ND	3
Cobalt ug/l	ND	ND	ND	3
Color Color Units	6	8	7	3
Copper mg/l	ND	0.14	0.08	3
Fluoride mg/l	ND	ND	ND	2
Hardness mg/l	ND	ND	ND	3
Iron ug/l	145	159	152	2
Lead ug/l	ND	1.5	ND	3
Lithium ug/l	5.9	6.1	6.0	3
Magnesium mg/l	ND	ND	ND	3
Manganese ug/l	ND	ND	ND	3
Molybdenum ug/l	ND	ND	ND	3
Nickel ug/l	1.2	4.5	2.5	3
Nitrate mg/l	ND	ND	ND	2
Perchlorate ug/l	ND	ND	ND	2
Phosphorus (as t-PO4) mg/l	0.12	0.14	0.13	3
pH pH Units	6.4	6.7	6.6	6
pH, field pH Units	6.0	7.0	6.5	4
Potassium mg/l	3.74	3.88	3.80	3
Selenium ug/l	ND	ND	ND	3
Silicon mg/l	4.2	4.8	4.4	3
Sodium mg/l	9.4	9.5	9.4	2
Conductivity umho/cm	59	61	60	3
Strontium mg/l	ND	ND	ND	3
Surfactants mg/l	ND	ND	ND	2
Sulfate mg/l	4.4	4.6	4.5	2
Temperature Degree Celsius	10	11	11	3
Tin ug/l	ND	ND	ND	3
Titanium ug/l	10.4	13.4	11.6	3
Total Organic Carbon (TOC) mg/l	ND	0.77	0.42	2
Turbidity NTU	0.75	0.94	0.85	3
Vanadium ug/l	ND	ND	ND	3

BAY WALK #2A S-122220**INORGANICS**

Component	Min Value	Max Value	Avg Value	Number Of Tests
Zinc mg/l	ND	ND	ND	3

SYNTHETIC ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alachlor ESA ug/l	ND	ND	ND	1
Alachlor OA ug/l	ND	ND	ND	1
Aldicarb Sulfone ug/l	ND	ND	ND	2
Aldicarb Sulfoxide ug/l	ND	ND	ND	2
1,2-Dibromoethane (EDB) ng/l	ND	ND	ND	2
Dinoseb ug/l	ND	ND	ND	2
Metalaxyl ug/l	ND	ND	ND	2
Metolachlor ug/l	ND	ND	ND	2
Metolachlor ESA ug/l	ND	ND	ND	1
Metolachlor OA ug/l	ND	ND	ND	1
Metribuzin ug/l	ND	ND	ND	2
Terbacil ug/l	ND	ND	ND	2
DCPA Diacid ug/l	ND	ND	ND	2

VOLATILE ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Bromodichloromethane ug/l	ND	ND	ND	4
Bromoform ug/l	ND	ND	ND	4
Dibromochloromethane ug/l	ND	ND	ND	4
Chloroform ug/l	ND	ND	ND	4
Carbon Tetrachloride ug/l	ND	ND	ND	4
Cis-1,2-Dichloroethene ug/l	ND	ND	ND	4
Dichlorodifluoromethane ug/l	ND	ND	ND	4
1,1-Dichloroethane ug/l	ND	ND	ND	4
1,1-Dichloroethene ug/l	ND	ND	ND	4
1,2-Dichloroethane ug/l	ND	ND	ND	4
1,2-Dichloropropane ug/l	ND	ND	ND	4
1,4-Dichlorobenzene ug/l	ND	ND	ND	4
Methyl-T-Butyl Ether ug/l	ND	ND	ND	4
Tert-Butyl Alcohol ug/l	ND	ND	ND	4
Tetrachloroethene ug/l	ND	ND	ND	4
1,1,1-Trichloroethane ug/l	ND	ND	ND	4
Trichloroethene ug/l	ND	ND	ND	4
Trichlorofluoromethane ug/l	ND	ND	ND	4
1,2,3-Trichloropropane ug/l	ND	ND	ND	4
1,1,2-Trichlorotrifluoroethane ug/l	ND	ND	ND	4

BAYVIEW WALK #2 S-54377

INORGANICS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alkalinity mg/l	22.4	29.6	26.0	2
Aluminum mg/l	0.08	1.56	0.61	31
Ammonia mg/l	ND	ND	ND	2
Arsenic ug/l	ND	ND	ND	31
Barium mg/l	ND	ND	ND	31
Boron mg/l	0.12	0.14	0.13	31
Bromide mg/l	ND	ND	ND	8
Cadmium ug/l	ND	ND	ND	31
Calcium mg/l	ND	0.8	ND	31
CO2 mg/l	1.7	5.5	3.6	2
Chloride mg/l	3.4	4.0	3.6	8
Free Chlorine Residual mg/l	0.6	0.8	0.7	4
Chromium ug/l	ND	ND	ND	31
Cobalt ug/l	ND	ND	ND	31
Color Color Units	5	46	26	2
Copper mg/l	ND	ND	ND	31
Fluoride mg/l	0.2	0.3	0.3	8
Hardness mg/l	ND	2.5	ND	31
Iron ug/l	102	149	125	2
Lead ug/l	ND	3.6	ND	31
Lithium ug/l	2.8	4.4	3.3	31
Magnesium mg/l	ND	ND	ND	31
Manganese ug/l	ND	ND	ND	31
Molybdenum ug/l	ND	ND	ND	31
Nickel ug/l	ND	5.5	0.7	31
Nitrate mg/l	ND	ND	ND	8
Perchlorate ug/l	ND	ND	ND	2
Phosphorus (as t-PO4) mg/l	0.49	0.77	0.53	31
pH pH Units	6.9	7.9	7.3	6
pH, field pH Units	6.8	8.0	7.5	4
Potassium mg/l	0.72	1.05	0.95	31
Selenium ug/l	ND	ND	ND	31
Silicon mg/l	4.2	5.8	4.8	31
Sodium mg/l	13.9	18.3	16.1	2
Conductivity umho/cm	69	88	79	2
Strontium mg/l	ND	ND	ND	31
Surfactants mg/l	ND	ND	ND	2
Sulfate mg/l	3.8	4.3	4.0	8
Temperature Degree Celsius	11	11	11	1
Tin ug/l	ND	ND	ND	31
Titanium ug/l	ND	55.2	21.9	31
Total Organic Carbon (TOC) mg/l	0.50	0.87	0.68	2
Turbidity NTU	0.53	4.8	2.7	2
Vanadium ug/l	ND	1.6	ND	31

BAYVIEW WALK #2 S-54377**INORGANICS**

Component	Min Value	Max Value	Avg Value	Number Of Tests
Zinc mg/l	ND	0.03	ND	31

SYNTHETIC ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alachlor ESA ug/l	ND	ND	ND	1
Alachlor OA ug/l	ND	ND	ND	1
Aldicarb Sulfone ug/l	ND	ND	ND	3
Aldicarb Sulfoxide ug/l	ND	ND	ND	3
1,2-Dibromoethane (EDB) ng/l	ND	ND	ND	3
Dinoseb ug/l	ND	ND	ND	2
Metalaxyl ug/l	ND	ND	ND	2
Metolachlor ug/l	ND	ND	ND	3
Metolachlor ESA ug/l	ND	ND	ND	1
Metolachlor OA ug/l	ND	ND	ND	1
Metribuzin ug/l	ND	ND	ND	3
Terbacil ug/l	ND	ND	ND	2
DCPA Diacid ug/l	ND	ND	ND	2

VOLATILE ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Bromodichloromethane ug/l	ND	ND	ND	4
Bromoform ug/l	ND	ND	ND	4
Dibromochloromethane ug/l	ND	ND	ND	4
Chloroform ug/l	ND	ND	ND	4
Carbon Tetrachloride ug/l	ND	ND	ND	4
Cis-1,2-Dichloroethene ug/l	ND	ND	ND	4
Dichlorodifluoromethane ug/l	ND	ND	ND	4
1,1-Dichloroethane ug/l	ND	ND	ND	4
1,1-Dichloroethene ug/l	ND	ND	ND	4
1,2-Dichloroethane ug/l	ND	ND	ND	4
1,2-Dichloropropane ug/l	ND	ND	ND	4
1,4-Dichlorobenzene ug/l	ND	ND	ND	4
Methyl-T-Butyl Ether ug/l	ND	ND	ND	4
Tert-Butyl Alcohol ug/l	ND	ND	ND	4
Tetrachloroethene ug/l	ND	ND	ND	4
1,1,1-Trichloroethane ug/l	ND	ND	ND	4
Trichloroethene ug/l	ND	ND	ND	4
Trichlorofluoromethane ug/l	ND	ND	ND	4
1,2,3-Trichloropropane ug/l	ND	ND	ND	4
1,1,2-Trichlorotrifluoroethane ug/l	ND	ND	ND	4

CEDAR CT

INORGANICS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alkalinity mg/l	28.6	49.4	40.8	6
Aluminum mg/l	0.03	0.11	0.07	23
Ammonia mg/l	ND	ND	ND	6
Arsenic ug/l	ND	ND	ND	6
Barium mg/l	ND	ND	ND	6
Boron mg/l	ND	0.11	ND	6
Bromide mg/l	ND	ND	ND	7
Cadmium ug/l	ND	ND	ND	6
Calcium mg/l	ND	3.6	1.5	6
CO2 mg/l	2.2	5.7	4.0	6
Chloride mg/l	2.4	2.9	2.6	7
Free Chlorine Residual mg/l	ND	1.0	0.6	12
Chromium ug/l	ND	ND	ND	6
Cobalt ug/l	ND	ND	ND	6
Color Color Units	ND	14	7	6
Copper mg/l	ND	0.03	ND	39
Fluoride mg/l	ND	ND	ND	7
Hardness mg/l	ND	9.2	4.0	6
Iron ug/l	181	799	397	6
Lead ug/l	ND	ND	ND	39

Lithium ug/l	3.5	3.8	3.6	6
Magnesium mg/l	ND	ND	ND	6
Manganese ug/l	ND	16	ND	39
Molybdenum ug/l	ND	ND	ND	6
Nickel ug/l	ND	4.7	ND	39
Nitrate mg/l	ND	ND	ND	7
Perchlorate ug/l	ND	ND	ND	6
Phosphorus (as t-PO4) mg/l	0.30	4.64	2.09	39
pH pH Units	7.0	7.8	7.3	18
pH, field pH Units	7.0	8.0	7.3	12
Potassium mg/l	1.02	1.26	1.17	6
Selenium ug/l	ND	ND	ND	6
Silicon mg/l	3.8	4.1	4.0	6
Sodium mg/l	19.5	26.3	23.3	6
Conductivity umho/cm	94	138	118	6
Strontium mg/l	ND	ND	ND	6
Surfactants mg/l	ND	ND	ND	6
Sulfate mg/l	7.9	9.3	8.4	7
Temperature Degree Celsius	10	13	11	6
Tin ug/l	ND	ND	ND	6
Titanium ug/l	ND	ND	ND	6
Total Organic Carbon (TOC) mg/l	0.18	1.04	0.53	7
Turbidity NTU	ND	1.4	0.56	6
Vanadium ug/l	ND	ND	ND	6

CEDAR CT%

INORGANICS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Zinc mg/l	ND	0.02	ND	39

SYNTHETIC ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alachlor ESA ug/l	ND	ND	ND	3
Alachlor OA ug/l	ND	ND	ND	3
Aldicarb Sulfone ug/l	ND	ND	ND	6
Aldicarb Sulfoxide ug/l	ND	ND	ND	6
1,2-Dibromoethane (EDB) ng/l	ND	ND	ND	6
Dinoseb ug/l	ND	ND	ND	6
Metalaxyl ug/l	ND	ND	ND	6
Metolachlor ug/l	ND	ND	ND	6
Metolachlor ESA ug/l	ND	ND	ND	3
Metolachlor OA ug/l	ND	ND	ND	3
Metribuzin ug/l	ND	ND	ND	6
Terbacil ug/l	ND	ND	ND	6
DCPA Diacid ug/l	ND	ND	ND	6

VOLATILE ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Bromodichloromethane ug/l	ND	ND	ND	12
Bromoform ug/l	ND	ND	ND	12

Dibromochloromethane ug/l	ND	ND	ND	12
Chloroform ug/l	ND	ND	ND	12
Carbon Tetrachloride ug/l	ND	ND	ND	12
Cis-1,2-Dichloroethene ug/l	ND	ND	ND	12
Dichlorodifluoromethane ug/l	ND	ND	ND	12
1,1-Dichloroethane ug/l	ND	ND	ND	12
1,1-Dichloroethene ug/l	ND	ND	ND	12
1,2-Dichloroethane ug/l	ND	ND	ND	12
1,2-Dichloropropane ug/l	ND	ND	ND	12
1,4-Dichlorobenzene ug/l	ND	ND	ND	12
Methyl-T-Butyl Ether ug/l	ND	ND	ND	12
Tert-Butyl Alcohol ug/l	ND	ND	ND	12
Tetrachloroethene ug/l	ND	ND	ND	12
1,1,1-Trichloroethane ug/l	ND	ND	ND	12
Trichloroethene ug/l	ND	ND	ND	12
Trichlorofluoromethane ug/l	ND	ND	ND	12
1,2,3-Trichloropropane ug/l	ND	ND	ND	12
1,1,2-Trichlorotrifluoroethane ug/l	ND	ND	ND	12

CENTER WALK

INORGANICS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alkalinity mg/l	27.0	35.6	32.3	4
Aluminum mg/l	0.12	1.04	0.68	17
Ammonia mg/l	ND	ND	ND	9
Arsenic ug/l	ND	ND	ND	5
Barium mg/l	ND	ND	ND	5
Boron mg/l	ND	ND	ND	5
Bromide mg/l	ND	ND	ND	5
Cadmium ug/l	ND	ND	ND	5
Calcium mg/l	ND	0.6	ND	5
CO2 mg/l	3.9	8.0	6.0	4
Chloride mg/l	3.6	4.1	3.8	5
Free Chlorine Residual mg/l	ND	0.8	0.6	8
Chromium ug/l	ND	ND	ND	5
Cobalt ug/l	ND	ND	ND	5
Color Color Units	25	39	30	4
Copper mg/l	ND	0.02	ND	28
Fluoride mg/l	ND	ND	ND	5
Hardness mg/l	ND	2.5	2.0	5
Iron ug/l	248	498	340	5
Lead ug/l	ND	1.4	ND	28

Lithium ug/l	6.8	10.1	7.8	5
Magnesium mg/l	0.15	0.41	0.24	5
Manganese ug/l	ND	13	ND	28
Molybdenum ug/l	ND	ND	ND	5
Nickel ug/l	ND	0.9	ND	28
Nitrate mg/l	ND	ND	ND	5
Perchlorate ug/l	ND	ND	ND	4
Phosphorus (as t-PO4) mg/l	ND	1.79	0.58	28
pH pH Units	6.7	7.2	6.9	12
pH, field pH Units	7.0	7.5	7.1	8
Potassium mg/l	2.84	3.61	3.08	5
Selenium ug/l	ND	ND	ND	5
Silicon mg/l	4.1	5.5	4.7	5
Sodium mg/l	5.8	16.9	13.0	5
Conductivity umho/cm	74	89	85	4
Strontium mg/l	ND	ND	ND	5
Surfactants mg/l	ND	ND	ND	5
Sulfate mg/l	4.2	4.7	4.5	5
Temperature Degree Celsius	11	11	11	4
Tin ug/l	ND	0.9	ND	5
Titanium ug/l	ND	43.8	24.3	5
Total Organic Carbon (TOC) mg/l	ND	0.63	0.31	4
Turbidity NTU	2.8	4.3	3.3	4
Vanadium ug/l	ND	ND	ND	5

CENTER WALK%

INORGANICS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Zinc mg/l	ND	0.03	ND	28

SYNTHETIC ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alachlor ESA ug/l	ND	ND	ND	2
Alachlor OA ug/l	ND	ND	ND	2
Aldicarb Sulfone ug/l	ND	ND	ND	4
Aldicarb Sulfoxide ug/l	ND	ND	ND	4
1,2-Dibromoethane (EDB) ng/l	ND	ND	ND	4
Dinoseb ug/l	ND	ND	ND	4
Metalaxyl ug/l	ND	ND	ND	4
Metolachlor ug/l	ND	ND	ND	4
Metolachlor ESA ug/l	ND	ND	ND	2
Metolachlor OA ug/l	ND	ND	ND	2
Metribuzin ug/l	ND	ND	ND	4
Terbacil ug/l	ND	ND	ND	4
DCPA Diacid ug/l	ND	ND	ND	4

VOLATILE ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Bromodichloromethane ug/l	ND	ND	ND	8
Bromoform ug/l	ND	ND	ND	8

Dibromochloromethane ug/l	ND	ND	ND	8
Chloroform ug/l	ND	ND	ND	8
Carbon Tetrachloride ug/l	ND	ND	ND	8
Cis-1,2-Dichloroethene ug/l	ND	ND	ND	8
Dichlorodifluoromethane ug/l	ND	ND	ND	8
1,1-Dichloroethane ug/l	ND	ND	ND	8
1,1-Dichloroethene ug/l	ND	ND	ND	8
1,2-Dichloroethane ug/l	ND	ND	ND	8
1,2-Dichloropropane ug/l	ND	ND	ND	8
1,4-Dichlorobenzene ug/l	ND	ND	ND	8
Methyl-T-Butyl Ether ug/l	ND	ND	ND	8
Tert-Butyl Alcohol ug/l	ND	ND	ND	8
Tetrachloroethene ug/l	ND	ND	ND	8
1,1,1-Trichloroethane ug/l	ND	ND	ND	8
Trichloroethene ug/l	ND	ND	ND	8
Trichlorofluoromethane ug/l	ND	ND	ND	8
1,2,3-Trichloropropane ug/l	ND	ND	ND	8
1,1,2-Trichlorotrifluoroethane ug/l	ND	ND	ND	8

EAST WALK #2

INORGANICS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alkalinity mg/l	22.0	31.2	26.6	2
Aluminum mg/l	0.18	0.32	0.25	3
Ammonia mg/l	ND	ND	ND	2
Arsenic ug/l	ND	ND	ND	2
Barium mg/l	ND	ND	ND	2
Boron mg/l	ND	ND	ND	2
Bromide mg/l	ND	ND	ND	5
Cadmium ug/l	ND	ND	ND	2
Calcium mg/l	ND	ND	ND	2
CO2 mg/l	1.8	4.3	3.0	2
Chloride mg/l	3.5	4.0	3.7	5
Free Chlorine Residual mg/l	ND	0.6	0.5	4
Chromium ug/l	ND	ND	ND	2
Cobalt ug/l	ND	ND	ND	2
Color Color Units	9	9	9	2
Copper mg/l	ND	ND	ND	4
Fluoride mg/l	ND	ND	ND	5
Hardness mg/l	ND	ND	ND	2
Iron ug/l	164	202	183	2
Lead ug/l	ND	ND	ND	4
Lithium ug/l	3.1	3.2	3.1	2
Magnesium mg/l	ND	ND	ND	2
Manganese ug/l	ND	ND	ND	4
Molybdenum ug/l	ND	ND	ND	2
Nickel ug/l	ND	0.8	ND	4
Nitrate mg/l	ND	ND	ND	5

Perchlorate ug/l	ND	ND	ND	2
Phosphorus (as t-PO4) mg/l	0.15	0.20	0.18	4
pH pH Units	7.0	7.5	7.3	6
pH, field pH Units	7.0	7.5	7.4	4
Potassium mg/l	1.14	1.23	1.18	2
Selenium ug/l	ND	ND	ND	2
Silicon mg/l	4.8	4.9	4.8	2
Sodium mg/l	13.0	15.5	14.2	2
Conductivity umho/cm	53	81	67	2
Strontium mg/l	ND	ND	ND	2
Surfactants mg/l	ND	ND	ND	2
Sulfate mg/l	4.2	4.4	4.3	5
Temperature Degree Celsius	10	11	11	2
Tin ug/l	ND	ND	ND	2
Titanium ug/l	6.1	10.9	8.5	2
Total Organic Carbon (TOC) mg/l	0.24	0.26	0.25	2
Turbidity NTU	0.75	0.90	0.83	2
Vanadium ug/l	ND	ND	ND	2

Page 2 of 2

East Walk #2**INORGANICS**

Component	Min Value	Max Value	Avg Value	Number Of Tests
Zinc mg/l	ND	ND	ND	4

SYNTHETIC ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alachlor ESA ug/l	ND	ND	ND	1
Alachlor OA ug/l	ND	ND	ND	1
Aldicarb Sulfone ug/l	ND	ND	ND	2
Aldicarb Sulfoxide ug/l	ND	ND	ND	2

1,2-Dibromoethane (EDB) ug/l	ND	ND	ND	2
Dinoseb ug/l	ND	ND	ND	2
Metalaxyl ug/l	ND	ND	ND	2
Metolachlor ug/l	ND	ND	ND	2
Metolachlor ESA ug/l	ND	ND	ND	1
Metolachlor OA ug/l	ND	ND	ND	1
Metribuzin ug/l	ND	ND	ND	2
Terbacil ug/l	ND	ND	ND	2
DCPA Diacid ug/l	ND	ND	ND	2

VOLATILE ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Bromodichloromethane ug/l	ND	ND	ND	4
Bromoform ug/l	ND	ND	ND	4
Dibromochloromethane ug/l	ND	ND	ND	4
Chloroform ug/l	ND	ND	ND	4
Carbon Tetrachloride ug/l	ND	ND	ND	4
Cis-1,2-Dichloroethene ug/l	ND	ND	ND	4
Dichlorodifluoromethane ug/l	ND	ND	ND	4
1,1-Dichloroethane ug/l	ND	ND	ND	4
1,1-Dichloroethene ug/l	ND	ND	ND	4
1,2-Dichloroethane ug/l	ND	ND	ND	4
1,2-Dichloropropane ug/l	ND	ND	ND	4
1,4-Dichlorobenzene ug/l	ND	ND	ND	4
Methyl-T-Butyl Ether ug/l	ND	ND	ND	4
Tert-Butyl Alcohol ug/l	ND	ND	ND	4
Tetrachloroethene ug/l	ND	ND	ND	4
1,1,1-Trichloroethane ug/l	ND	ND	ND	4
Trichloroethene ug/l	ND	ND	ND	4
Trichlorofluoromethane ug/l	ND	ND	ND	4
1,2,3-Trichloropropane ug/l	ND	ND	ND	4
1,1,2-Trichlorotrifluoroethane ug/l	ND	ND	ND	4

EAST WALK SERVICE

INORGANICS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alkalinity mg/l	27.6	34.6	31.1	2
Aluminum mg/l	0.27	0.36	0.32	3
Ammonia mg/l	ND	ND	ND	2
Arsenic ug/l	ND	ND	ND	3
Barium mg/l	ND	ND	ND	3
Boron mg/l	ND	ND	ND	3
Bromide mg/l	ND	ND	ND	3
Cadmium ug/l	ND	ND	ND	3
Calcium mg/l	ND	0.6	ND	3
CO2 mg/l	1.1	3.8	2.5	2
Chloride mg/l	3.5	3.8	3.7	3
Free Chlorine Residual mg/l	0.6	1.1	0.9	4
Chromium ug/l	ND	ND	ND	3
Cobalt ug/l	ND	ND	ND	3
Color Color Units	7	15	11	2
Copper mg/l	ND	ND	ND	3
Fluoride mg/l	ND	ND	ND	3
Hardness mg/l	ND	ND	ND	3
Iron ug/l	80	1119	437	3
Lead ug/l	ND	ND	ND	3

Lithium ug/l	3.5	4.1	3.8	3
Magnesium mg/l	ND	ND	ND	3
Manganese ug/l	ND	ND	ND	3
Molybdenum ug/l	ND	ND	ND	3
Nickel ug/l	ND	ND	ND	3
Nitrate mg/l	ND	ND	ND	3
Perchlorate ug/l	ND	ND	ND	2
Phosphorus (as t-PO4) mg/l	0.16	0.17	0.16	3
pH pH Units	7.0	8.8	7.7	6
pH, field pH Units	7.0	8.0	7.3	4
Potassium mg/l	1.29	1.39	1.35	3
Selenium ug/l	ND	ND	ND	3
Silicon mg/l	4.6	5.1	4.9	3
Sodium mg/l	12.8	19.9	16.1	3
Conductivity umho/cm	62	92	77	2
Strontium mg/l	ND	ND	ND	3
Surfactants mg/l	ND	ND	ND	2
Sulfate mg/l	4.9	5.3	5.1	3
Temperature Degree Celsius	11	11	11	2
Tin ug/l	ND	ND	ND	3
Titanium ug/l	10.1	12.6	11.4	3
Total Organic Carbon (TOC) mg/l	0.23	0.43	0.33	2
Turbidity NTU	0.80	1.5	1.2	2
Vanadium ug/l	ND	ND	ND	3

East Walk Service

INORGANICS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Zinc mg/l	ND	ND	ND	3

SYNTHETIC ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alachlor ESA ug/l	ND	ND	ND	1
Alachlor OA ug/l	ND	ND	ND	1
Aldicarb Sulfone ug/l	ND	ND	ND	2
Aldicarb Sulfoxide ug/l	ND	ND	ND	2
1,2-Dibromoethane (EDB) ng/l	ND	ND	ND	2
Dinoseb ug/l	ND	ND	ND	2
Metalaxyl ug/l	ND	ND	ND	2
Metolachlor ug/l	ND	ND	ND	2
Metolachlor ESA ug/l	ND	ND	ND	1
Metolachlor OA ug/l	ND	ND	ND	1
Metribuzin ug/l	ND	ND	ND	2
Terbacil ug/l	ND	ND	ND	2
DCPA Diacid ug/l	ND	ND	ND	2

VOLATILE ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Bromodichloromethane ug/l	ND	ND	ND	4
Bromoform ug/l	ND	ND	ND	4

Dibromochloromethane ug/l	ND	ND	ND	4
Chloroform ug/l	ND	ND	ND	4
Carbon Tetrachloride ug/l	ND	ND	ND	4
Cis-1,2-Dichloroethene ug/l	ND	ND	ND	4
Dichlorodifluoromethane ug/l	ND	ND	ND	4
1,1-Dichloroethane ug/l	ND	ND	ND	4
1,1-Dichloroethene ug/l	ND	ND	ND	4
1,2-Dichloroethane ug/l	ND	ND	ND	4
1,2-Dichloropropane ug/l	ND	ND	ND	4
1,4-Dichlorobenzene ug/l	ND	ND	ND	4
Methyl-T-Butyl Ether ug/l	ND	ND	ND	4
Tert-Butyl Alcohol ug/l	ND	ND	ND	4
Tetrachloroethene ug/l	ND	ND	ND	4
1,1,1-Trichloroethane ug/l	ND	ND	ND	4
Trichloroethene ug/l	ND	ND	ND	4
Trichlorofluoromethane ug/l	ND	ND	ND	4
1,2,3-Trichloropropane ug/l	ND	ND	ND	4
1,1,2-Trichlorotrifluoroethane ug/l	ND	ND	ND	4

FISHERMANS PATH

INORGANICS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alkalinity mg/l	27.6	38.2	33.4	4
Aluminum mg/l	0.04	0.32	0.24	20
Ammonia mg/l	ND	ND	ND	4
Arsenic ug/l	ND	ND	ND	15
Barium mg/l	ND	ND	ND	15
Boron mg/l	ND	0.11	ND	15
Bromide mg/l	ND	ND	ND	4
Cadmium ug/l	ND	ND	ND	15
Calcium mg/l	ND	0.9	ND	15
CO2 mg/l	1.4	8.3	3.6	4
Chloride mg/l	3.5	3.8	3.6	4
Free Chlorine Residual mg/l	ND	0.9	0.7	8
Chromium ug/l	ND	ND	ND	15
Cobalt ug/l	ND	ND	ND	15
Color Color Units	6	11	9	4
Copper mg/l	ND	0.05	ND	26
Fluoride mg/l	ND	ND	ND	4
Hardness mg/l	ND	2.5	ND	15
Iron ug/l	95	146	123	3
Lead ug/l	ND	3.0	ND	26

Lithium ug/l	3.4	4.0	3.7	15
Magnesium mg/l	ND	ND	ND	15
Manganese ug/l	ND	ND	ND	26
Molybdenum ug/l	ND	ND	ND	15
Nickel ug/l	ND	4.7	1.0	26
Nitrate mg/l	ND	0.50	ND	4
Perchlorate ug/l	ND	ND	ND	4
Phosphorus (as t-PO4) mg/l	0.32	0.43	0.35	26
pH pH Units	6.8	7.9	7.3	12
pH, field pH Units	7.0	8.0	7.6	8
Potassium mg/l	1.32	1.73	1.60	15
Selenium ug/l	ND	ND	ND	15
Silicon mg/l	4.1	4.8	4.4	15
Sodium mg/l	15.9	17.8	17.2	3
Conductivity umho/cm	77	93	86	4
Strontium mg/l	ND	ND	ND	15
Surfactants mg/l	ND	ND	ND	4
Sulfate mg/l	3.4	4.2	3.8	4
Temperature Degree Celsius	10	12	11	4
Tin ug/l	ND	ND	ND	15
Titanium ug/l	ND	14.6	10.1	15
Total Organic Carbon (TOC) mg/l	0.49	0.98	0.70	4
Turbidity NTU	0.41	0.65	0.55	4
Vanadium ug/l	ND	ND	ND	15

FISHERMANS PATH%

INORGANICS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Zinc mg/l	ND	ND	ND	26

SYNTHETIC ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alachlor ESA ug/l	ND	ND	ND	2
Alachlor OA ug/l	ND	ND	ND	2
Aldicarb Sulfone ug/l	ND	ND	ND	4
Aldicarb Sulfoxide ug/l	ND	ND	ND	4
1,2-Dibromoethane (EDB) ng/l	ND	ND	ND	4
Dinoseb ug/l	ND	ND	ND	4
Metalaxyl ug/l	ND	ND	ND	4
Metolachlor ug/l	ND	ND	ND	4
Metolachlor ESA ug/l	ND	ND	ND	2
Metolachlor OA ug/l	ND	ND	ND	2
Metribuzin ug/l	ND	ND	ND	4
Terbacil ug/l	ND	ND	ND	4
DCPA Diacid ug/l	ND	ND	ND	4

VOLATILE ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Bromodichloromethane ug/l	ND	ND	ND	8
Bromoform ug/l	ND	ND	ND	8

Dibromochloromethane ug/l	ND	ND	ND	8
Chloroform ug/l	ND	ND	ND	8
Carbon Tetrachloride ug/l	ND	ND	ND	8
Cis-1,2-Dichloroethene ug/l	ND	ND	ND	8
Dichlorodifluoromethane ug/l	ND	ND	ND	8
1,1-Dichloroethane ug/l	ND	ND	ND	8
1,1-Dichloroethene ug/l	ND	ND	ND	8
1,2-Dichloroethane ug/l	ND	ND	ND	8
1,2-Dichloropropane ug/l	ND	ND	ND	8
1,4-Dichlorobenzene ug/l	ND	ND	ND	8
Methyl-T-Butyl Ether ug/l	ND	ND	ND	8
Tert-Butyl Alcohol ug/l	ND	ND	ND	8
Tetrachloroethene ug/l	ND	ND	ND	8
1,1,1-Trichloroethane ug/l	ND	ND	ND	8
Trichloroethene ug/l	ND	ND	ND	8
Trichlorofluoromethane ug/l	ND	ND	ND	8
1,2,3-Trichloropropane ug/l	ND	ND	ND	8
1,1,2-Trichlorotrifluoroethane ug/l	ND	ND	ND	8

HARBOR WALK #1 S-18846

INORGANICS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alkalinity mg/l	22.6	27.8	25.2	2
Aluminum mg/l	0.04	0.72	0.36	25
Ammonia mg/l	ND	ND	ND	2
Arsenic ug/l	ND	ND	ND	3
Barium mg/l	ND	ND	ND	3
Boron mg/l	ND	0.11	ND	3
Bromide mg/l	ND	ND	ND	2
Cadmium ug/l	ND	ND	ND	3
Calcium mg/l	ND	ND	ND	3
CO2 mg/l	2.2	3.7	2.9	2
Chloride mg/l	3.6	3.8	3.7	2
Free Chlorine Residual mg/l	ND	0.7	ND	4
Chromium ug/l	ND	ND	ND	3
Cobalt ug/l	ND	ND	ND	3
Color Color Units	22	32	27	2
Copper mg/l	ND	0.02	ND	30
Fluoride mg/l	ND	ND	ND	2
Hardness mg/l	ND	ND	ND	3
Iron ug/l	383	869	594	4
Lead ug/l	ND	2.7	ND	30
Lithium ug/l	3.6	4.7	4.3	3
Magnesium mg/l	ND	ND	ND	3
Manganese ug/l	ND	35	ND	30
Molybdenum ug/l	ND	ND	ND	3
Nickel ug/l	ND	1.1	ND	30
Nitrate mg/l	ND	ND	ND	2
Perchlorate ug/l	ND	ND	ND	2
Phosphorus (as t-PO4) mg/l	0.24	1.76	0.40	30
pH pH Units	6.8	7.4	7.1	6
pH, field pH Units	7.5	7.5	7.5	5
Potassium mg/l	1.20	1.75	1.55	3
Selenium ug/l	ND	ND	ND	3
Silicon mg/l	3.7	4.7	4.3	3
Sodium mg/l	12.4	27.6	18.1	4
Conductivity umho/cm	64	76	70	2
Strontium mg/l	ND	ND	ND	3
Surfactants mg/l	ND	ND	ND	2
Sulfate mg/l	3.6	3.7	3.6	2
Temperature Degree Celsius	10	12	11	2
Tin ug/l	ND	ND	ND	3
Titanium ug/l	ND	16.7	11.2	3
Total Organic Carbon (TOC) mg/l	0.26	0.36	0.31	2
Turbidity NTU	2.1	3.1	2.6	2
Vanadium ug/l	ND	ND	ND	3

HARBOR WALK #1 S-18846**INORGANICS**

Component	Min Value	Max Value	Avg Value	Number Of Tests
Zinc mg/l	ND	0.03	ND	30

SYNTHETIC ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alachlor ESA ug/l	ND	ND	ND	1
Alachlor OA ug/l	ND	ND	ND	1
Aldicarb Sulfone ug/l	ND	ND	ND	2
Aldicarb Sulfoxide ug/l	ND	ND	ND	2
1,2-Dibromoethane (EDB) ng/l	ND	ND	ND	2
Dinoseb ug/l	ND	ND	ND	2
Metalaxyl ug/l	ND	ND	ND	2
Metolachlor ug/l	ND	ND	ND	2
Metolachlor ESA ug/l	ND	ND	ND	1
Metolachlor OA ug/l	ND	ND	ND	1
Metribuzin ug/l	ND	ND	ND	2
Terbacil ug/l	ND	ND	ND	2
DCPA Diacid ug/l	ND	ND	ND	2

VOLATILE ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Bromodichloromethane ug/l	ND	ND	ND	4
Bromoform ug/l	ND	ND	ND	4
Dibromochloromethane ug/l	ND	ND	ND	4
Chloroform ug/l	ND	ND	ND	4
Carbon Tetrachloride ug/l	ND	ND	ND	4
Cis-1,2-Dichloroethene ug/l	ND	ND	ND	4
Dichlorodifluoromethane ug/l	ND	ND	ND	4
1,1-Dichloroethane ug/l	ND	ND	ND	4
1,1-Dichloroethene ug/l	ND	ND	ND	4
1,2-Dichloroethane ug/l	ND	ND	ND	4
1,2-Dichloropropane ug/l	ND	ND	ND	4
1,4-Dichlorobenzene ug/l	ND	ND	ND	4
Methyl-T-Butyl Ether ug/l	ND	ND	ND	4
Tert-Butyl Alcohol ug/l	ND	ND	ND	4
Tetrachloroethene ug/l	ND	ND	ND	4
1,1,1-Trichloroethane ug/l	ND	ND	ND	4
Trichloroethene ug/l	ND	ND	ND	4
Trichlorofluoromethane ug/l	ND	ND	ND	4
1,2,3-Trichloropropane ug/l	ND	ND	ND	4
1,1,2-Trichlorotrifluoroethane ug/l	ND	ND	ND	4

ROBINS WALK #1 S-24484

INORGANICS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alkalinity mg/l	31.6	37.0	34.3	2
Aluminum mg/l	0.04	0.84	0.32	31
Ammonia mg/l	ND	ND	ND	2
Arsenic ug/l	ND	ND	ND	31
Barium mg/l	ND	ND	ND	31
Boron mg/l	ND	ND	ND	31
Bromide mg/l	ND	ND	ND	2
Cadmium ug/l	ND	ND	ND	31
Calcium mg/l	ND	4.5	2.1	31
CO2 mg/l	6.3	10.5	8.4	2
Chloride mg/l	3.7	3.9	3.8	2
Free Chlorine Residual mg/l	ND	ND	ND	4
Chromium ug/l	ND	ND	ND	31
Cobalt ug/l	ND	ND	ND	31
Color Color Units	6	15	11	2
Copper mg/l	ND	0.09	0.04	31
Fluoride mg/l	ND	ND	ND	2
Hardness mg/l	ND	12.2	6.0	31
Iron ug/l	722	1363	1042	2
Lead ug/l	ND	ND	ND	31
Lithium ug/l	5.9	9.1	7.9	31
Magnesium mg/l	ND	0.29	0.20	31
Manganese ug/l	ND	14	ND	31
Molybdenum ug/l	ND	ND	ND	31
Nickel ug/l	ND	4.2	0.9	31
Nitrate mg/l	ND	ND	ND	2
Perchlorate ug/l	ND	ND	ND	2
Phosphorus (as t-PO4) mg/l	0.27	5.15	2.41	31
pH pH Units	6.5	7.1	6.8	6
pH, field pH Units	7.0	7.0	7.0	5
Potassium mg/l	2.65	4.80	3.89	31
Selenium ug/l	ND	ND	ND	31
Silicon mg/l	3.9	4.9	4.4	31
Sodium mg/l	16.6	19.2	17.9	2
Conductivity umho/cm	114	119	117	2
Strontium mg/l	ND	ND	ND	31
Surfactants mg/l	ND	ND	ND	2
Sulfate mg/l	4.6	4.8	4.7	2
Temperature Degree Celsius	10	11	11	2
Tin ug/l	ND	ND	ND	31
Titanium ug/l	ND	33.4	12.9	31
Total Organic Carbon (TOC) mg/l	ND	0.32	0.20	2
Turbidity NTU	ND	1.2	0.68	2
Vanadium ug/l	ND	ND	ND	31

ROBINS WALK #1 S-24484

INORGANICS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Zinc mg/l	ND	0.02	ND	31

SYNTHETIC ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alachlor ESA ug/l	ND	ND	ND	1
Alachlor OA ug/l	ND	ND	ND	1
Aldicarb Sulfone ug/l	ND	ND	ND	2
Aldicarb Sulfoxide ug/l	ND	ND	ND	2
1,2-Dibromoethane (EDB) ng/l	ND	ND	ND	2
Dinoseb ug/l	ND	ND	ND	2
Metalaxyl ug/l	ND	ND	ND	2
Metolachlor ug/l	ND	ND	ND	2
Metolachlor ESA ug/l	ND	ND	ND	1
Metolachlor OA ug/l	ND	ND	ND	1
Metribuzin ug/l	ND	ND	ND	2
Terbacil ug/l	ND	ND	ND	2
DCPA Diacid ug/l	ND	ND	ND	2

VOLATILE ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Bromodichloromethane ug/l	ND	ND	ND	4
Bromoform ug/l	ND	ND	ND	4
Dibromochloromethane ug/l	ND	ND	ND	4
Chloroform ug/l	ND	ND	ND	4
Carbon Tetrachloride ug/l	ND	ND	ND	4
Cis-1,2-Dichloroethene ug/l	ND	ND	ND	4
Dichlorodifluoromethane ug/l	ND	ND	ND	4
1,1-Dichloroethane ug/l	ND	ND	ND	4
1,1-Dichloroethene ug/l	ND	ND	ND	4
1,2-Dichloroethane ug/l	ND	ND	ND	4
1,2-Dichloropropane ug/l	ND	ND	ND	4
1,4-Dichlorobenzene ug/l	ND	ND	ND	4
Methyl-T-Butyl Ether ug/l	ND	ND	ND	4
Tert-Butyl Alcohol ug/l	ND	ND	ND	4
Tetrachloroethene ug/l	ND	ND	ND	4
1,1,1-Trichloroethane ug/l	ND	ND	ND	4
Trichloroethene ug/l	ND	ND	ND	4
Trichlorofluoromethane ug/l	ND	ND	ND	4
1,2,3-Trichloropropane ug/l	ND	ND	ND	4
1,1,2-Trichlorotrifluoroethane ug/l	ND	ND	ND	4

SANDY WALK

INORGANICS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alkalinity mg/l	20.8	25.8	23.4	4
Aluminum mg/l	0.04	0.15	0.10	4
Ammonia mg/l	ND	ND	ND	4
Arsenic ug/l	ND	ND	ND	4
Barium mg/l	ND	ND	ND	4
Boron mg/l	ND	ND	ND	4
Bromide mg/l	ND	ND	ND	4
Cadmium ug/l	ND	ND	ND	4
Calcium mg/l	0.5	0.6	0.5	4
CO2 mg/l	11.5	15.1	13.1	4
Chloride mg/l	3.5	3.6	3.6	4
Free Chlorine Residual mg/l	0.8	1.0	0.9	4
Chromium ug/l	ND	ND	ND	4
Cobalt ug/l	ND	ND	ND	4
Color Color Units	5	15	11	4
Copper mg/l	0.14	0.18	0.16	4
Fluoride mg/l	ND	ND	ND	4
Hardness mg/l	ND	ND	ND	4
Iron ug/l	167	313	237	4
Lead ug/l	ND	ND	ND	4

Lithium ug/l	3.4	5.0	4.3	4
Magnesium mg/l	ND	ND	ND	4
Manganese ug/l	ND	ND	ND	4
Molybdenum ug/l	ND	ND	ND	4
Nickel ug/l	ND	ND	ND	4
Nitrate mg/l	ND	ND	ND	4
Perchlorate ug/l	ND	ND	ND	4
Phosphorus (as t-PO4) mg/l	0.16	0.28	0.21	4
pH pH Units	6.5	6.8	6.7	8
Potassium mg/l	1.51	2.27	1.93	4
Selenium ug/l	ND	ND	ND	4
Silicon mg/l	4.7	4.9	4.8	4
Sodium mg/l	12.1	15.0	13.3	4
Conductivity umho/cm	68	76	71	4
Strontium mg/l	ND	ND	ND	4
Surfactants mg/l	ND	ND	ND	4
Sulfate mg/l	4.6	5.0	4.7	4
Temperature Degree Celsius	15	16	15	4
Tin ug/l	ND	ND	ND	4
Titanium ug/l	ND	7.7	ND	4
Total Organic Carbon (TOC) mg/l	0.18	0.34	0.25	4
Turbidity NTU	ND	1.5	0.96	4
Vanadium ug/l	ND	ND	ND	4
Zinc mg/l	ND	ND	ND	4

SANDY WALK%

SYNTHETIC ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alachlor ESA ug/l	ND	ND	ND	4
Alachlor OA ug/l	ND	ND	ND	4
Aldicarb Sulfone ug/l	ND	ND	ND	4
Aldicarb Sulfoxide ug/l	ND	ND	ND	4
1,2-Dibromoethane (EDB) ng/l	ND	ND	ND	4
Dinoseb ug/l	ND	ND	ND	4
Metolachlor ESA ug/l	ND	ND	ND	4
Metolachlor OA ug/l	ND	ND	ND	4
Metribuzin ug/l	ND	ND	ND	4
DCPA Diacid ug/l	ND	ND	ND	4

VOLATILE ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Bromodichloromethane ug/l	ND	ND	ND	4
Bromoform ug/l	ND	ND	ND	4
Dibromochloromethane ug/l	ND	ND	ND	4
Chloroform ug/l	ND	ND	ND	4
Carbon Tetrachloride ug/l	ND	ND	ND	4
Cis-1,2-Dichloroethene ug/l	ND	ND	ND	4
Dichlorodifluoromethane ug/l	ND	ND	ND	4
1,1-Dichloroethane ug/l	ND	ND	ND	4

1,1-Dichloroethene ug/l	ND	ND	ND	4
1,2-Dichloroethane ug/l	ND	ND	ND	4
1,2-Dichloropropane ug/l	ND	ND	ND	4
1,4-Dichlorobenzene ug/l	ND	ND	ND	4
Methyl-T-Butyl Ether ug/l	ND	ND	ND	4
Tert-Butyl Alcohol ug/l	ND	ND	ND	4
Tetrachloroethene ug/l	ND	ND	ND	4
1,1,1-Trichloroethane ug/l	ND	ND	ND	4
Trichloroethene ug/l	ND	ND	ND	4
Trichlorofluoromethane ug/l	ND	ND	ND	4
1,2,3-Trichloropropane ug/l	ND	ND	ND	4
1,1,2-Trichlorotrifluoroethane ug/l	ND	ND	ND	4

BAYVIEW WALK**INORGANICS**

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alkalinity mg/l	33.6	35.6	34.6	2
Aluminum mg/l	0.08	1.40	0.57	23
Ammonia mg/l	ND	ND	ND	2
Arsenic ug/l	ND	ND	ND	23
Barium mg/l	ND	ND	ND	23
Boron mg/l	0.12	0.12	0.12	2
Bromide mg/l	ND	ND	ND	25
Cadmium ug/l	ND	ND	ND	23
Calcium mg/l	ND	0.6	ND	2
CO2 Units	1.1	2.5	1.8	2
Chloride mg/l	2.7	4.6	3.4	25
Free Chlorine Residual mg/l	0.2	1.0	0.7	4
Chromium ug/l	ND	ND	ND	23
Cobalt ug/l	ND	ND	ND	23
Color Color Units	12	43	28	2
Copper mg/l	ND	ND	ND	23
TDS Units	49	49	49	1
Fluoride mg/l	ND	0.3	0.2	25
Hardness mg/l	ND	4.0	ND	23
Iron mg/l	84	187	136	2
Lead ug/l	ND	1.4	ND	23
Lithium ug/l	2.8	4.3	3.4	23
Magnesium mg/l	ND	ND	ND	2
Manganese mg/l	ND	ND	ND	23
Molybdenum ug/l	ND	ND	ND	23
Nickel ug/l	ND	5.5	1.8	23
Nitrate mg/l	ND	ND	ND	25
Perchlorate ug/l	ND	ND	ND	2
Phosphorus (as t-PO4) mg/l	0.41	3.13	0.64	23
pH pH Units	7.4	7.8	7.6	2
pH, field pH Units	7.0	7.5	7.3	2
Potassium mg/l	0.95	0.99	0.97	2
Selenium ug/l	ND	ND	ND	23
Silicon mg/l	3.9	5.6	4.8	23
Sodium mg/l	18.3	19.3	18.8	2
Conductivity umho/cm	30	100	63	25
Strontium mg/l	ND	ND	ND	23
Sulfate mg/l	3.3	7.8	3.8	25
MBAS mg/l	ND	ND	ND	2
Temperature Degree Celsius	11	12	11	2
Tin ug/l	ND	ND	ND	23
Titanium ug/l	7.1	18.4	12.8	2
Total Organic Carbon (TOC) mg/l	0.65	0.90	0.78	2
Turbidity NTU	0.77	4.6	2.7	2

BAYVIEW WALK**INORGANICS**

Component	Min Value	Max Value	Avg Value	Number Of Tests
Vanadium ug/l	ND	1.4	ND	23
Zinc mg/l	ND	0.12	ND	23

SYNTHETIC ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alachlor ug/l	ND	ND	ND	2
Alachlor ESA ug/l	ND	ND	ND	2
Aldicarb Sulfone ug/l	ND	ND	ND	2
Aldicarb Sulfoxide ug/l	ND	ND	ND	2
Bromacil ug/l	ND	ND	ND	2
1,2-Dibromoethane (EDB) ug/l	ND	ND	ND	2
Dinoseb ug/l	ND	ND	ND	2
Metalaxyl ug/l	ND	ND	ND	2
Metolachlor ug/l	ND	ND	ND	2
Metolachlor ESA ug/l	ND	ND	ND	2
Metolachlor OA ug/l	ND	ND	ND	2
Metribuzin ug/l	ND	ND	ND	2
Terbacil ug/l	ND	ND	ND	2
DCPA Diacid ug/l	ND	ND	ND	2

VOLATILE ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Bromodichloromethane ug/l	ND	ND	ND	4
Bromoform ug/l	ND	ND	ND	4
Dibromochloromethane ug/l	ND	ND	ND	4
Chloroform ug/l	ND	ND	ND	4
Carbon Tetrachloride ug/l	ND	ND	ND	4
Cis-1,2-Dichloroethene ug/l	ND	ND	ND	4
Dichlorodifluoromethane ug/l	ND	ND	ND	4
1,1-Dichloroethane ug/l	ND	ND	ND	4
1,1-Dichloroethene ug/l	ND	ND	ND	4
1,2-Dichloroethane ug/l	ND	ND	ND	4
1,2-Dichloropropane ug/l	ND	ND	ND	4
1,4-Dichlorobenzene ug/l	ND	ND	ND	4
Methyl-T-Butyl Ether ug/l	ND	ND	ND	4
Tetrachloroethene ug/l	ND	ND	ND	4
1,1,1-Trichloroethane ug/l	ND	ND	ND	4
Trichloroethene ug/l	ND	ND	ND	4
Trichlorofluoromethane ug/l	ND	ND	ND	4
1,2,3-Trichloropropane ug/l	ND	ND	ND	4
1,1,2-Trichlorotrifluoroethane ug/l	ND	ND	ND	4

FISHERMANS PATH**INORGANICS**

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alkalinity mg/l	ND	26.8	20.8	4
Aluminum mg/l	0.07	0.29	0.22	13
Ammonia mg/l	ND	0.03	ND	4
Arsenic ug/l	ND	ND	ND	13
Barium mg/l	ND	ND	ND	13
Boron mg/l	ND	0.10	ND	15
Bromide mg/l	ND	ND	ND	3
Cadmium ug/l	ND	ND	ND	13
Calcium mg/l	ND	1.3	0.5	15
CO2 Units	2.7	4.4	3.8	4
Chloride mg/l	3.4	4.1	3.6	3
Free Chlorine Residual mg/l	0.5	1.2	0.9	8
Chromium ug/l	ND	ND	ND	13
Cobalt ug/l	ND	ND	ND	13
Color Color Units	6	22	11	4
Copper mg/l	ND	0.04	ND	13
TDS Units	34	71	53	2
Fluoride mg/l	ND	ND	ND	3
Hardness mg/l	ND	6.0	ND	13
Iron mg/l	85	163	110	15
Lead ug/l	ND	1.9	ND	13
Lithium ug/l	3.0	4.0	3.7	13
Magnesium mg/l	ND	0.15	ND	15
Manganese mg/l	ND	ND	ND	24
Molybdenum ug/l	ND	ND	ND	13
Nickel ug/l	ND	3.4	1.3	13
Nitrate mg/l	ND	ND	ND	3
Perchlorate ug/l	ND	ND	ND	4
Phosphorus (as t-PO4) mg/l	0.18	0.46	0.32	24
pH pH Units	7.0	7.3	7.1	4
pH, field pH Units	6.5	7.5	7.0	2
Potassium mg/l	1.31	1.84	1.59	15
Selenium ug/l	ND	ND	ND	13
Silicon mg/l	3.8	5.2	4.4	13
Sodium mg/l	10.7	16.6	13.5	15
Conductivity umho/cm	61	74	67	4
Strontium mg/l	ND	ND	ND	13
Sulfate mg/l	3.1	3.7	3.4	3
MBAS mg/l	ND	ND	ND	4
Temperature Degree Celsius	12	12	12	2
Tin ug/l	ND	ND	ND	13
Titanium ug/l	ND	21.5	8.1	15
Total Organic Carbon (TOC) mg/l	0.44	0.87	0.66	4
Turbidity NTU	0.59	1.8	0.92	4

FISHERMANS PATH**INORGANICS**

Component	Min Value	Max Value	Avg Value	Number Of Tests
Vanadium ug/l	ND	ND	ND	13
Zinc mg/l	ND	0.02	ND	13

SYNTHETIC ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alachlor ug/l	ND	ND	ND	4
Alachlor ESA ug/l	ND	ND	ND	4
Aldicarb Sulfone ug/l	ND	ND	ND	4
Aldicarb Sulfoxide ug/l	ND	ND	ND	4
Bromacil ug/l	ND	ND	ND	4
1,2-Dibromoethane (EDB) ug/l	ND	ND	ND	4
Dinoseb ug/l	ND	ND	ND	4
Metalaxyl ug/l	ND	ND	ND	4
Metolachlor ug/l	ND	ND	ND	4
Metolachlor ESA ug/l	ND	ND	ND	4
Metolachlor OA ug/l	ND	ND	ND	4
Metribuzin ug/l	ND	ND	ND	4
Terbacil ug/l	ND	ND	ND	4
DCPA Diacid ug/l	ND	ND	ND	4

VOLATILE ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Bromodichloromethane ug/l	ND	ND	ND	8
Bromoform ug/l	ND	ND	ND	8
Dibromochloromethane ug/l	ND	ND	ND	8
Chloroform ug/l	ND	ND	ND	8
Carbon Tetrachloride ug/l	ND	ND	ND	8
Cis-1,2-Dichloroethene ug/l	ND	ND	ND	8
Dichlorodifluoromethane ug/l	ND	ND	ND	8
1,1-Dichloroethane ug/l	ND	ND	ND	8
1,1-Dichloroethene ug/l	ND	ND	ND	8
1,2-Dichloroethane ug/l	ND	ND	ND	8
1,2-Dichloropropane ug/l	ND	ND	ND	8
1,4-Dichlorobenzene ug/l	ND	ND	ND	8
Methyl-T-Butyl Ether ug/l	ND	ND	ND	8
Tetrachloroethene ug/l	ND	ND	ND	8
1,1,1-Trichloroethane ug/l	ND	ND	ND	8
Trichloroethene ug/l	ND	ND	ND	8
Trichlorofluoromethane ug/l	ND	ND	ND	8
1,2,3-Trichloropropane ug/l	ND	ND	ND	8
1,1,2-Trichlorotrifluoroethane ug/l	ND	ND	ND	8

HARBOR WALK
INORGANICS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alkalinity mg/l	28.6	28.6	28.6	1
Aluminum mg/l	0.41	0.41	0.41	1
Ammonia mg/l	ND	ND	ND	2
Arsenic ug/l	ND	ND	ND	1
Barium mg/l	ND	ND	ND	1
Boron mg/l	ND	ND	ND	3
Bromide mg/l	ND	ND	ND	2
Cadmium ug/l	ND	ND	ND	1
Calcium mg/l	ND	1.2	0.6	3
CO2 Units	4.2	4.2	4.2	1
Chloride mg/l	3.6	4.1	3.8	2
Free Chlorine Residual mg/l	0.7	0.7	0.7	1
Chromium ug/l	ND	ND	ND	1
Cobalt ug/l	ND	ND	ND	1
Color Color Units	39	39	39	1
Copper mg/l	ND	ND	ND	1
Fluoride mg/l	ND	ND	ND	2
Hardness mg/l	ND	ND	ND	1
Iron mg/l	211	320	250	3
Lead ug/l	2.0	2.0	2.0	1
Lithium ug/l	4.6	4.6	4.6	1
Magnesium mg/l	ND	ND	ND	3
Manganese mg/l	ND	ND	ND	3
Molybdenum ug/l	ND	ND	ND	1
Nickel ug/l	ND	ND	ND	1
Nitrate mg/l	ND	ND	ND	2
Perchlorate ug/l	ND	ND	ND	2
Phosphorus (as t-PO4) mg/l	0.27	0.30	0.28	3
pH pH Units	7.1	7.1	7.1	1
Potassium mg/l	1.13	1.75	1.48	3
Selenium ug/l	ND	ND	ND	1
Silicon mg/l	4.3	4.3	4.3	1
Sodium mg/l	12.5	23.2	16.6	3
Conductivity umho/cm	79	79	79	1
Strontium mg/l	ND	ND	ND	1
Sulfate mg/l	3.2	3.5	3.3	2
MBAS mg/l	ND	ND	ND	2
Tin ug/l	ND	ND	ND	1
Titanium ug/l	ND	10.4	6.4	3
Total Organic Carbon (TOC) mg/l	0.90	1.09	1.00	2
Turbidity NTU	4.0	4.0	4.0	1
Vanadium ug/l	ND	ND	ND	1
Zinc mg/l	ND	ND	ND	1

SYNTHETIC ORGANIC COMPOUNDS

HARBOR WALK**SYNTHETIC ORGANIC COMPOUNDS**

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alachlor ug/l	ND	ND	ND	1
Alachlor ESA ug/l	ND	ND	ND	2
Aldicarb Sulfone ug/l	ND	ND	ND	2
Aldicarb Sulfoxide ug/l	ND	ND	ND	2
Bromacil ug/l	ND	ND	ND	2
1,2-Dibromoethane (EDB) ug/l	ND	ND	ND	2
Dinoseb ug/l	ND	ND	ND	2
Metalaxyl ug/l	ND	ND	ND	1
Metolachlor ug/l	ND	ND	ND	1
Metolachlor ESA ug/l	ND	ND	ND	2
Metolachlor OA ug/l	ND	ND	ND	2
Metribuzin ug/l	ND	ND	ND	2
Terbacil ug/l	ND	ND	ND	1
DCPA Diacid ug/l	ND	ND	ND	2

VOLATILE ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Bromodichloromethane ug/l	ND	ND	ND	3
Bromoform ug/l	ND	ND	ND	3
Dibromochloromethane ug/l	ND	ND	ND	3
Chloroform ug/l	ND	ND	ND	3
Carbon Tetrachloride ug/l	ND	ND	ND	3
Cis-1,2-Dichloroethene ug/l	ND	ND	ND	3
Dichlorodifluoromethane ug/l	ND	ND	ND	3
1,1-Dichloroethane ug/l	ND	ND	ND	3
1,1-Dichloroethene ug/l	ND	ND	ND	3
1,2-Dichloroethane ug/l	ND	ND	ND	3
1,2-Dichloropropane ug/l	ND	ND	ND	3
1,4-Dichlorobenzene ug/l	ND	ND	ND	3
Methyl-T-Butyl Ether ug/l	ND	ND	ND	3
Tetrachloroethene ug/l	ND	ND	ND	3
1,1,1-Trichloroethane ug/l	ND	ND	ND	3
Trichloroethene ug/l	ND	ND	ND	3
Trichlorofluoromethane ug/l	ND	ND	ND	3
1,2,3-Trichloropropane ug/l	ND	ND	ND	3
1,1,2-Trichlorotrifluoroethane ug/l	ND	ND	ND	3

POINT O WOODS

INORGANICS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alkalinity mg/l	21.2	29.6	24.1	4
Aluminum mg/l	0.28	0.48	0.38	6
Ammonia mg/l	ND	ND	ND	4
Arsenic ug/l	ND	ND	ND	6
Barium mg/l	ND	ND	ND	6
Boron mg/l	ND	ND	ND	17
Bromide mg/l	ND	ND	ND	4
Cadmium ug/l	ND	ND	ND	6
Calcium mg/l	ND	8.8	1.4	17
CO2 Units	1.8	3.5	2.6	4
Chloride mg/l	3.5	4.7	4.0	4
Free Chlorine Residual mg/l	0.4	1.3	0.9	8
Chromium ug/l	ND	ND	ND	6
Cobalt ug/l	ND	ND	ND	6
Color Color Units	9	20	13	4
Copper mg/l	ND	0.02	ND	6
TDS Units	40	44	42	2
Fluoride mg/l	ND	ND	ND	4
Hardness mg/l	ND	2.2	ND	6
Iron mg/l	75	219	148	17
Lead ug/l	ND	ND	ND	6
Lithium ug/l	3.5	4.9	4.2	6
Magnesium mg/l	ND	ND	ND	17
Manganese mg/l	ND	ND	ND	17
Molybdenum ug/l	ND	ND	ND	6
Nickel ug/l	ND	4.7	1.3	6
Nitrate mg/l	ND	ND	ND	4
Perchlorate ug/l	ND	ND	ND	4
Phosphorus (as t-PO4) mg/l	ND	3.11	0.34	17
pH pH Units	7.1	7.5	7.3	4
pH, field pH Units	7.0	7.0	7.0	3
Potassium mg/l	1.04	1.91	1.63	17
Selenium ug/l	ND	ND	ND	6
Silicon mg/l	4.7	5.2	4.9	6
Sodium mg/l	10.6	106.6	20.0	17
Conductivity umho/cm	65	80	71	4
Strontium mg/l	ND	ND	ND	6
Sulfate mg/l	3.7	4.8	4.3	4
MBAS mg/l	ND	ND	ND	4
Temperature Degree Celsius	11	12	11	3
Tin ug/l	ND	ND	ND	6
Titanium ug/l	ND	16.1	7.6	17
Total Organic Carbon (TOC) mg/l	0.34	0.79	0.58	4
Turbidity NTU	0.87	2.2	1.3	4

POINT O WOODS**INORGANICS**

Component	Min Value	Max Value	Avg Value	Number Of Tests
Vanadium ug/l	ND	ND	ND	6
Zinc mg/l	ND	ND	ND	6

SYNTHETIC ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alachlor ug/l	ND	ND	ND	4
Alachlor ESA ug/l	ND	ND	ND	4
Aldicarb Sulfone ug/l	ND	ND	ND	4
Aldicarb Sulfoxide ug/l	ND	ND	ND	4
Bromacil ug/l	ND	ND	ND	4
1,2-Dibromoethane (EDB) ug/l	ND	ND	ND	4
Dinoseb ug/l	ND	ND	ND	4
Metalaxyl ug/l	ND	ND	ND	4
Metolachlor ug/l	ND	ND	ND	4
Metolachlor ESA ug/l	ND	ND	ND	4
Metolachlor OA ug/l	ND	ND	ND	4
Metribuzin ug/l	ND	ND	ND	4
Terbacil ug/l	ND	ND	ND	4
DCPA Diacid ug/l	ND	ND	ND	4

VOLATILE ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Bromodichloromethane ug/l	ND	ND	ND	8
Bromoform ug/l	ND	ND	ND	8
Dibromochloromethane ug/l	ND	ND	ND	8
Chloroform ug/l	ND	ND	ND	8
Carbon Tetrachloride ug/l	ND	ND	ND	8
Cis-1,2-Dichloroethene ug/l	ND	ND	ND	8
Dichlorodifluoromethane ug/l	ND	ND	ND	8
1,1-Dichloroethane ug/l	ND	ND	ND	8
1,1-Dichloroethene ug/l	ND	ND	ND	8
1,2-Dichloroethane ug/l	ND	ND	ND	8
1,2-Dichloropropane ug/l	ND	ND	ND	8
1,4-Dichlorobenzene ug/l	ND	ND	ND	8
Methyl-T-Butyl Ether ug/l	ND	ND	ND	8
Tetrachloroethene ug/l	ND	ND	ND	8
1,1,1-Trichloroethane ug/l	ND	ND	ND	8
Trichloroethene ug/l	ND	ND	ND	8
Trichlorofluoromethane ug/l	ND	ND	ND	8
1,2,3-Trichloropropane ug/l	ND	ND	ND	8
1,1,2-Trichlorotrifluoroethane ug/l	ND	ND	ND	8

TRAFFIC WALK

INORGANICS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alkalinity mg/l	28.6	40.2	34.5	4
Aluminum mg/l	0.44	0.93	0.70	4
Ammonia mg/l	ND	ND	ND	6
Arsenic ug/l	ND	ND	ND	4
Barium mg/l	ND	ND	ND	4
Boron mg/l	ND	0.11	ND	4
Bromide mg/l	ND	ND	ND	6
Cadmium ug/l	ND	ND	ND	4
Calcium mg/l	ND	ND	ND	4
CO2 Units	2.6	6.4	4.0	4
Chloride mg/l	3.3	4.1	3.6	6
Free Chlorine Residual mg/l	0.5	1.0	0.7	5
Chromium ug/l	ND	ND	ND	4
Cobalt ug/l	ND	ND	ND	4
Color Color Units	16	56	43	4
Copper mg/l	ND	0.02	ND	4
TDS Units	43	46	45	2
Fluoride mg/l	ND	0.2	ND	6
Hardness mg/l	ND	2.1	ND	4
Iron mg/l	213	767	474	4
Lead ug/l	ND	1.6	ND	4
Lithium ug/l	3.8	4.5	4.3	4
Magnesium mg/l	ND	ND	ND	4
Manganese mg/l	ND	ND	ND	4
Molybdenum ug/l	ND	ND	ND	4
Nickel ug/l	ND	1.0	0.6	4
Nitrate mg/l	ND	ND	ND	6
Perchlorate ug/l	ND	ND	ND	6
Phosphorus (as t-PO4) mg/l	0.47	1.91	1.34	4
pH pH Units	7.0	7.5	7.3	4
pH, field pH Units	6.5	7.0	6.8	2
Potassium mg/l	1.14	1.41	1.31	4
Selenium ug/l	ND	ND	ND	4
Silicon mg/l	4.4	5.1	4.8	4
Sodium mg/l	15.2	22.2	19.4	4
Conductivity umho/cm	76	97	86	4
Strontium mg/l	ND	ND	ND	4
Sulfate mg/l	3.4	3.7	3.5	6
MBAS mg/l	ND	ND	ND	6
Temperature Degree Celsius	11	11	11	2
Tin ug/l	ND	0.6	ND	4
Titanium ug/l	ND	12.7	6.9	4
Total Organic Carbon (TOC) mg/l	0.57	1.10	0.82	6
Turbidity NTU	1.8	5.6	4.5	4

TRAFFIC WALK**INORGANICS**

Component	Min Value	Max Value	Avg Value	Number Of Tests
Vanadium ug/l	ND	1.1	ND	4
Zinc mg/l	ND	0.03	ND	4

SYNTHETIC ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alachlor ug/l	ND	ND	ND	5
Alachlor ESA ug/l	ND	ND	ND	6
Aldicarb Sulfone ug/l	ND	ND	ND	6
Aldicarb Sulfoxide ug/l	ND	ND	ND	6
Bromacil ug/l	ND	ND	ND	6
1,2-Dibromoethane (EDB) ug/l	ND	ND	ND	6
Dinoseb ug/l	ND	ND	ND	6
Metalaxyl ug/l	ND	ND	ND	5
Metolachlor ug/l	ND	ND	ND	5
Metolachlor ESA ug/l	ND	ND	ND	6
Metolachlor OA ug/l	ND	ND	ND	6
Metribuzin ug/l	ND	ND	ND	6
Terbacil ug/l	ND	ND	ND	5
DCPA Diacid ug/l	ND	ND	ND	6

VOLATILE ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Bromodichloromethane ug/l	ND	ND	ND	6
Bromoform ug/l	ND	ND	ND	6
Dibromochloromethane ug/l	ND	ND	ND	6
Chloroform ug/l	ND	ND	ND	6
Carbon Tetrachloride ug/l	ND	ND	ND	6
Cis-1,2-Dichloroethene ug/l	ND	ND	ND	6
Dichlorodifluoromethane ug/l	ND	ND	ND	6
1,1-Dichloroethane ug/l	ND	ND	ND	6
1,1-Dichloroethene ug/l	ND	ND	ND	6
1,2-Dichloroethane ug/l	ND	ND	ND	6
1,2-Dichloropropane ug/l	ND	ND	ND	6
1,4-Dichlorobenzene ug/l	ND	ND	ND	6
Methyl-T-Butyl Ether ug/l	ND	ND	ND	6
Tetrachloroethene ug/l	ND	ND	ND	6
1,1,1-Trichloroethane ug/l	ND	ND	ND	6
Trichloroethene ug/l	ND	ND	ND	6
Trichlorofluoromethane ug/l	ND	ND	ND	6
1,2,3-Trichloropropane ug/l	ND	ND	ND	6
1,1,2-Trichlorotrifluoroethane ug/l	ND	ND	ND	6

BAYVIEW WALK
RADIOACTIVITY

Component	Min Value	Max Value	Avg Value	Number Of Tests
Radium-228 pCi/L	ND	ND	ND	1

INORGANICS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alkalinity mg/l	28.4	33.4	31.7	3
Aluminum mg/l	0.06	2.86	0.77	24
Ammonia mg/l	ND	ND	ND	3
Arsenic ug/l	ND	ND	ND	24
Barium mg/l	ND	ND	ND	24
Boron mg/l	0.12	0.14	0.13	3
Bromide mg/l	ND	ND	ND	17
Cadmium ug/l	ND	ND	ND	24
Calcium mg/l	0.7	0.8	0.7	3
CO2 Units	2.3	2.7	2.5	3
Chloride mg/l	3.2	4.5	3.5	17
Free Chlorine Residual mg/l	0.6	1.0	0.8	4
Chromium ug/l	ND	ND	ND	24
Cobalt ug/l	ND	ND	ND	24
Color Color Units	10	11	11	2
Copper mg/l	ND	ND	ND	24
TDS Units	41	50	46	3
Fluoride mg/l	0.2	0.3	0.2	17
Hardness, calc mg/l	ND	12.8	2.6	9
Iron ug/l	98	255	163	3
Lead ug/l	ND	ND	ND	24
Lithium ug/l	2.4	6.0	3.7	24
Magnesium mg/l	ND	ND	ND	3
Manganese ug/l	ND	ND	ND	3
Molybdenum ug/l	ND	ND	ND	24
Nickel ug/l	ND	1.8	0.5	24
Nitrate mg/l	ND	ND	ND	17
Perchlorate ug/l	ND	ND	ND	2
Phosphorus (as t-PO4) mg/l	0.52	0.53	0.53	3
pH pH Units	7.3	7.5	7.4	3
pH, field pH Units	7.0	7.0	7.0	3
Potassium mg/l	1.00	1.02	1.01	3
Selenium ug/l	ND	ND	ND	24
Silicon mg/l	4.4	7.5	5.1	24
Sodium mg/l	16.1	17.3	16.9	3
Conductivity umho/cm	60	89	72	17
Strontium mg/l	ND	ND	ND	24
Sulfate mg/l	3.4	3.8	3.6	17
MBAS mg/l	ND	ND	ND	3
Temperature Degree Celsius	10	13	12	3
Tin ug/l	ND	ND	ND	24

BAYVIEW WALK
INORGANICS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Titanium ug/l	9.3	26.9	16.3	3
Total Organic Carbon (TOC) mg/l	0.82	0.82	0.82	1
Turbidity NTU	0.66	1.6	1.1	2
Vanadium ug/l	ND	2.4	ND	24
Zinc mg/l	ND	0.07	ND	24

SYNTHETIC ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alachlor ESA ug/l	ND	ND	ND	3
Aldicarb Sulfone ug/l	ND	ND	ND	2
Aldicarb Sulfoxide ug/l	ND	ND	ND	2
1,2-Dibromoethane (EDB) ng/l	ND	ND	ND	2
Dinoseb ug/l	ND	ND	ND	2
Metalaxyl ug/l	ND	ND	ND	2
Metolachlor ug/l	ND	ND	ND	2
Metolachlor ESA ug/l	ND	ND	ND	3
Metolachlor OA ug/l	ND	ND	ND	3
DCPA Diacid ug/l	ND	ND	ND	2

VOLATILE ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Bromodichloromethane ug/l	ND	ND	ND	4
Bromoform ug/l	ND	ND	ND	4
Dibromochloromethane ug/l	ND	ND	ND	4
Chloroform ug/l	ND	ND	ND	4
Carbon Tetrachloride ug/l	ND	ND	ND	4
Cis-1,2-Dichloroethene ug/l	ND	ND	ND	4
Dichlorodifluoromethane ug/l	ND	ND	ND	4
1,1-Dichloroethane ug/l	ND	ND	ND	4
1,1-Dichloroethene ug/l	ND	ND	ND	4
1,2-Dichloroethane ug/l	ND	ND	ND	4
1,2-Dichloropropane ug/l	ND	ND	ND	4
1,4-Dichlorobenzene ug/l	ND	ND	ND	4
Methyl-T-Butyl Ether ug/l	ND	ND	ND	4
Tetrachloroethene ug/l	ND	ND	ND	4
1,1,1-Trichloroethane ug/l	ND	ND	ND	4
Trichloroethene ug/l	ND	ND	ND	4
Trichlorofluoromethane ug/l	ND	ND	ND	4
1,2,3-Trichloropropane ug/l	ND	ND	ND	4
1,1,2-Trichlorotrifluoroethane ug/l	ND	ND	ND	4

FISHERMANS PATH
RADIOACTIVITY

Component	Min Value	Max Value	Avg Value	Number Of Tests
Radium-228 pCi/L	ND	ND	ND	1

INORGANICS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alkalinity mg/l	30.0	36.6	32.6	4
Aluminum mg/l	0.12	0.43	0.23	10
Ammonia mg/l	ND	0.02	ND	5
Arsenic ug/l	ND	ND	ND	10
Barium mg/l	ND	ND	ND	10
Boron mg/l	ND	0.11	ND	15
Bromide mg/l	ND	ND	ND	4
Cadmium ug/l	ND	ND	ND	10
Calcium mg/l	ND	1.1	ND	15
CO2 Units	0.9	3.5	2.2	4
Chloride mg/l	3.9	4.4	4.2	4
Free Chlorine Residual mg/l	0.4	1.0	0.7	8
Chromium ug/l	ND	ND	ND	10
Cobalt ug/l	ND	ND	ND	10
Color Color Units	7	13	9	4
Copper mg/l	ND	0.21	0.03	10
TDS Units	45	50	47	4
Fluoride mg/l	ND	ND	ND	4
Hardness, calc mg/l	ND	3.0	ND	16
Iron ug/l	87	186	122	15
Lead ug/l	ND	3.4	ND	10
Lithium ug/l	3.6	4.0	3.7	10
Magnesium mg/l	ND	ND	ND	15
Manganese ug/l	ND	ND	ND	15
Molybdenum ug/l	ND	ND	ND	10
Nickel ug/l	ND	0.9	ND	10
Nitrate mg/l	ND	ND	ND	4
Perchlorate ug/l	ND	ND	ND	4
Phosphorus (as t-PO4) mg/l	ND	0.38	0.30	15
pH pH Units	7.2	7.9	7.5	4
pH, field pH Units	7.0	7.0	7.0	4
Potassium mg/l	1.45	1.71	1.61	15
Selenium ug/l	ND	ND	ND	10
Silicon mg/l	4.1	4.8	4.5	10
Sodium mg/l	12.7	17.5	14.7	15
Conductivity umho/cm	79	94	86	4
Strontium mg/l	ND	ND	ND	10
Sulfate mg/l	3.1	3.7	3.4	4
MBAS mg/l	ND	ND	ND	4
Temperature Degree Celsius	11	12	11	4
Tin ug/l	ND	0.8	ND	10

FISHERMANS PATH
INORGANICS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Titanium ug/l	ND	10.8	8.1	15
Total Organic Carbon (TOC) mg/l	0.76	1.14	0.95	2
Turbidity NTU	0.52	1.2	0.71	4
Vanadium ug/l	ND	ND	ND	10
Zinc mg/l	ND	ND	ND	10

SYNTHETIC ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alachlor ESA ug/l	ND	ND	ND	4
Aldicarb Sulfone ug/l	ND	ND	ND	4
Aldicarb Sulfoxide ug/l	ND	ND	ND	4
1,2-Dibromoethane (EDB) ng/l	ND	ND	ND	4
Dinoseb ug/l	ND	ND	ND	5
Metalaxyl ug/l	ND	ND	ND	4
Metolachlor ug/l	ND	ND	ND	4
Metolachlor ESA ug/l	ND	ND	ND	4
Metolachlor OA ug/l	ND	ND	ND	4
DCPA Diacid ug/l	ND	ND	ND	5

VOLATILE ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Bromodichloromethane ug/l	ND	ND	ND	8
Bromoform ug/l	ND	ND	ND	8
Dibromochloromethane ug/l	ND	ND	ND	8
Chloroform ug/l	ND	ND	ND	8
Carbon Tetrachloride ug/l	ND	ND	ND	8
Cis-1,2-Dichloroethene ug/l	ND	ND	ND	8
Dichlorodifluoromethane ug/l	ND	ND	ND	8
1,1-Dichloroethane ug/l	ND	ND	ND	8
1,1-Dichloroethene ug/l	ND	ND	ND	8
1,2-Dichloroethane ug/l	ND	ND	ND	8
1,2-Dichloropropane ug/l	ND	ND	ND	8
1,4-Dichlorobenzene ug/l	ND	ND	ND	8
Methyl-T-Butyl Ether ug/l	ND	ND	ND	8
Tetrachloroethene ug/l	ND	ND	ND	8
1,1,1-Trichloroethane ug/l	ND	ND	ND	8
Trichloroethene ug/l	ND	ND	ND	8
Trichlorofluoromethane ug/l	ND	ND	ND	8
1,2,3-Trichloropropane ug/l	ND	ND	ND	8
1,1,2-Trichlorotrifluoroethane ug/l	ND	ND	ND	8

**TRAFFIC WALK
RADIOACTIVITY**

Component	Min Value	Max Value	Avg Value	Number Of Tests
Radium-228 pCi/L	ND	ND	ND	1

INORGANICS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alkalinity mg/l	26.0	38.2	31.0	4
Aluminum mg/l	0.25	0.70	0.51	4
Ammonia mg/l	ND	ND	ND	6
Arsenic ug/l	ND	ND	ND	4
Barium mg/l	ND	ND	ND	4
Boron mg/l	ND	0.12	0.10	23
Bromide mg/l	ND	ND	ND	4
Cadmium ug/l	ND	ND	ND	4
Calcium mg/l	ND	1.7	0.6	23
CO2 Units	3.9	4.6	4.1	4
Chloride mg/l	3.5	4.2	3.9	4
Free Chlorine Residual mg/l	0.5	0.9	0.7	8
Chromium ug/l	ND	ND	ND	4
Cobalt ug/l	ND	ND	ND	4
Color Color Units	23	32	28	4
Copper mg/l	ND	0.02	ND	4
TDS Units	40	52	45	4
Fluoride mg/l	ND	0.2	ND	4
Hardness, calc mg/l	ND	4.9	ND	19
Iron ug/l	138	503	261	23
Lead ug/l	ND	ND	ND	4
Lithium ug/l	3.1	4.7	4.0	4
Magnesium mg/l	ND	0.38	ND	23
Manganese ug/l	ND	ND	ND	23
Molybdenum ug/l	ND	ND	ND	4
Nickel ug/l	ND	ND	ND	4
Nitrate mg/l	ND	ND	ND	4
Perchlorate ug/l	ND	ND	ND	6
Phosphorus (as t-PO4) mg/l	0.21	2.71	0.78	23
pH pH Units	7.1	7.3	7.2	4
pH, field pH Units	7.0	7.0	7.0	4
Potassium mg/l	1.06	1.67	1.28	23
Selenium ug/l	ND	ND	ND	4
Silicon mg/l	4.2	5.1	4.6	4
Sodium mg/l	13.3	58.5	20.4	23
Conductivity umho/cm	72	94	81	4
Strontium mg/l	ND	ND	ND	4
Sulfate mg/l	3.2	3.6	3.4	4
MBAS mg/l	ND	ND	ND	6
Temperature Degree Celsius	11	12	12	4
Tin ug/l	ND	ND	ND	4

**TRAFFIC WALK
INORGANICS**

Component	Min Value	Max Value	Avg Value	Number Of Tests
Titanium ug/l	ND	89.4	19.0	23
Total Organic Carbon (TOC) mg/l	1.21	1.84	1.52	2
Turbidity NTU	2.4	3.6	2.9	4
Vanadium ug/l	ND	ND	ND	4
Zinc mg/l	ND	ND	ND	4

SYNTHETIC ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Alachlor ESA ug/l	ND	ND	ND	5
Aldicarb Sulfone ug/l	ND	ND	ND	6
Aldicarb Sulfoxide ug/l	ND	ND	ND	6
1,2-Dibromoethane (EDB) ng/l	ND	ND	ND	6
Dinoseb ug/l	ND	ND	ND	6
Metalaxyl ug/l	ND	ND	ND	6
Metolachlor ug/l	ND	ND	ND	6
Metolachlor ESA ug/l	ND	ND	ND	5
Metolachlor OA ug/l	ND	ND	ND	5
DCPA Diacid ug/l	ND	ND	ND	6

VOLATILE ORGANIC COMPOUNDS

Component	Min Value	Max Value	Avg Value	Number Of Tests
Bromodichloromethane ug/l	ND	ND	ND	8
Bromoform ug/l	ND	ND	ND	8
Dibromochloromethane ug/l	ND	ND	ND	8
Chloroform ug/l	ND	ND	ND	8
Carbon Tetrachloride ug/l	ND	ND	ND	8
Cis-1,2-Dichloroethene ug/l	ND	ND	ND	8
Dichlorodifluoromethane ug/l	ND	ND	ND	8
1,1-Dichloroethane ug/l	ND	ND	ND	8
1,1-Dichloroethene ug/l	ND	ND	ND	8
1,2-Dichloroethane ug/l	ND	ND	ND	8
1,2-Dichloropropane ug/l	ND	ND	ND	8
1,4-Dichlorobenzene ug/l	ND	ND	ND	8
Methyl-T-Butyl Ether ug/l	ND	ND	ND	8
Tetrachloroethene ug/l	ND	ND	ND	8
1,1,1-Trichloroethane ug/l	ND	ND	ND	8
Trichloroethene ug/l	ND	ND	ND	8
Trichlorofluoromethane ug/l	ND	ND	ND	8
1,2,3-Trichloropropane ug/l	ND	ND	ND	8
1,1,2-Trichlorotrifluoroethane ug/l	ND	ND	ND	8